
# WORKBENCE

35c / July-August / 1964



Wagon-Seat Chest

**Curved Staircase** 

All About Wood Bits

Sheraton Sideboard

# THIS COUPON

ENTITLES YOU TO

#### 

REVOLUTIONARY PATENTS DECREASE COSTS,

Full scale power tools of heavy duty 100% cast iron and steel. Streamlined

design reduces weight, cuts material and production costs. Special patents provide added efficiency, accuracy, savings. Parts made, assembled, tested and packed right in our own factories, shipped direct . . . save store profits.

QUALITY WOODWORKING POWER TOOLS!

8" TILT ARBOR
POWER
SAW

**\$14**95

f o.b. factory. Wt. 25 lbs

Includes completely assembled cast iron and steel 8" tilt arbor power saw with ground cast iron table . . . less blade. If desired, RIP FENCE for easier work alignment, \$3.50 additional

DOES WORK OF \$75 BENCH SAW as is. Converts easily to equal any \$300 floor model cabinet units! Crosscuts, rips, mitres, cuts compound angles, dadoes, makes coves and mouldings. FREE CABINET BASE PLANS

Use as portable bench saw as received (inset photo) . . . or transform easily and inexpensively into floor model (as shown) guar. to do work of floor models costing \$300. FREE plans . . sheet of 3/4" plywood and 3-4 hours are all you'll need. Use your AMCO saw for cutting. Plans provide 27" x 24" work surface, 33" height, pullout sawdust bin, tool storage compartment. UNCONDITIONAL 10 YEAR GUARANTEE

BLADE TILTS . . . TABLE STAYS LEVEL

Locks securely at any angle to 50°, raises, lowers 0"-21/4" \* Patented tilt mechanism, accurate etched scale \* Patented motor mount takes std. 1/4 h.p. or larger motor, keeps belt tight, assures perfect alignment at any angle, transmits full power \* Takes std. blade, saw insert removes to take dadoe heads, cutters, etc. (not incl.) \* Accurate mitre gauge assembly \* Ground spindle \* Enclosed steel base \* 'Compo' bearings \* Accessories available at factory prices \* RIP FENCE, if desired for easier work alignment: Std. size (for bench saw) \$3.50; larger fence (for cabinet base, as ill'd.) \$4.50.

**EXCITING BREAKTHROUGH IN BELT SANDER VERSATILITY!** 

The Precision AMCO

4" x 36"

BELT SANDER

for wood, metal and plastic

\$9.95 f.o.b. factory

Wt.: 15 lbs.

Disc Sander Accessory, \$7.95

Disc Sander Accessory, \$7.95
add'l. incl. disc, supporting
bracket, ground cast table
that tilts 0°-45°. Mitre
Gauge, \$1.95 add'l. Perfect squaring for large
or small pcs., new ease in
sanding compound angles.

complete heavy cast construction belt sander, cleverly engineered to change from
horizontal to vertical sanding in seconds. Unique, foolproof adjustment for
belt track and tension. Special multi-purpose power takeoff drive spindle
accepts all standard 1/4" shank accessory tools . . . plus an amazing
variety of others. Standard 4" x 36" sanding belt (furnished) handles large
flat surfaces, small pieces, end grain sanding, outside curves, even inside
curves. V-pulley drive. Takes 1/3 hp or larger motor. UNCONDITIONAL
10-YEAR GUARANTEE. Disc sander accessory attaches in 2 minutes.



MAIL QUICK-ACTION COUPON NOW! 10-DAY MONEY BACK GUARANTEE (You must be satisfied or money refunded)
AMERICAN MACHINE & TOOL CO. DEPT. WB-74, ROYERSFORD, PA.

# PLEASE ACCEPT WITH OUR COMPLIMENTS, THIS CHITISTINGS MODEY COUDON CENTER (FACING THIS PAGE)

**GOOD FOR** 

0 \$27 Gr

# \$2<sup>75</sup> Worth of Greeting Cards

formly



(SEND NO MONEY NOW!)

for Christmas and All Occasions

AND YOU ALSO GET

New Christmas Samples, on approval, and full details on how to earn, in your spare time, \$50 to \$250 between now and Christmas

TIMAGINE! The valuable Coupon Card attached to

JUST IMAGINE! The valuable Coupon Card attached to this page is good for the Giant \$2.75, 98-piece Assortment of Christmas and All Occasion Greeting Cards — for only 25¢ to help cover packing and mailing costs (which will be billed to you *later*). In addition, this Card will also bring details on how you can earn \$50 to \$250 in your spare time between now and Christmas!

Why do we make this Special Introductory Offer? Because we want you to see how easy and pleasant it is to earn "Christmas Money" with our wonderful "Extra Money"

Plan. No experience needed!

Just SHOW these beautiful cards to friends and neighbors. They get real bargains. And you make up to 60¢ on every box they order—even more on certain gift and novelty items. Soon you have \$50 to \$250 to spend as you please!

To help you get started, with your giant assortment of cards we will also send you several other popular assortments on approval. If friends don't snap up these bargains, send them back at our expense and pay nothing!

#### Mail The Coupon Card at Left NOW-WITHOUT Money!

Mail valuable postpaid "Christmas Money" Coupon Card at left now. The big \$2.75 Giant assortment of cards will be yours to KEEP whether or not you do anything further about the "Extra Money" Plan!

And how you'll love using this Giant Assortment! Picking out the "just right" card to send to each friend on each occasion is really fun. It's the same sort of pleasure your friends will get, too, if you decide you do want to make "Christmas Money" by showing them your other assortments. But that will be up to you. NOW—while we can send you this beautiful big 98-piece assortment at such an amazing saving, mail Coupon Card today. If Coupon Card has been detached, write direct, enclosing 25¢ to GREETING CARD ASSOCIATES, Studio W167, 1113 Washington Ave., St. Louis 1, Mo.

#### One of These Nation-Wide Associates Will Give You Prompt Service In Your Area:

Boulevard Art Publishers Chicago 13, Ill.

Greetings Unlimited St. Paul & Minneapolis, Minn. Imperial Greeting Card Co. Los Angeles 12, Calif. Midwest Card Co. St. Louis 1, Mo. New England Art Publishers N. Abington, Mass.

Southern Greeting Card Co. Memphis 12, Tenn.

Western States Card Co. Denver 11, Colo.



#### Send for New CATALOG!



### The COMPLETE Buyer's Guide for Everything You Need in FINE DOMESTIC & IMPORTED and over 15,000 items for the HOME WORKSHOP

Here's World's Largest Selection, Rare, Fancy and Imported Woods, Mosaic Tile, Lamp & Upholstery Supplies, Tools & Hardware—AT LOWEST PRICES! Supplies, Tools & Hardware—AT LOWEST PRICES!

DON'T DELAY—send today for your copy of the new, fully illustrated 132-page Craftsman WOOD catalog—most comprehensive wood and workshop buying guide ever published! Long considered the "buyer's guide" by instructors, professionals, this latest edition is bursting with over 15,000 items-many presented in full color. What are your needs? Whether it's a source for the finest quality top grade kiln dried domestic or rare imported woods, new wood inlays, bandings, matched plywoods, embo ssed mouldings, carved modern or traditional ornamouldings, carved modern or traditional orna-ments, stock for wood carving projects—any-thing at all—you'll find it here!

#### **BIG DISCOUNTS on Latest Models** STANLEY POWER TOOLS

It's packed with new patterns, wood projects and hundreds of ideas to help you turn your skills into a money maker. You'll see a large new selection of tools, "hard-to-find" cabinet hardware, fittings and woodworking equipment for hobbyist and professional. Craftsman is a must in every workshop, and you can have it at your fingertips within few days by mailing coupon now. Enclose 25c to help pay mailing and hdlg. cost. Write: CRAFTSMAN WOOD SERVICE CO., Dept. L-7 2729 S. Mary Street. Chicago 8, Illinois

CRAFTSMAN WOOD SE	
Rush giant new Craftsma 25c to cover mailing cost.	n WOOD Catalog. I enclose
Name	
Address	
City	ZoneState

#### WORKBENCH volume 20 number 4

#### Contents—July-August, 1964

#### FEATURES

Bedroom Storage Wall. 14 Serving Tray 56 Wagon-Seat Storage Bench 17 Carving a Lion 60 W. Scott McLennan 18 Cracker Cradle 63 Bedroom Chest for a Man 18	New Lumber Standards	9		53
Bedroom Storage Wall 14 Serving Tray 56 Wagon-Seat Storage Bench 17 Carving a Lion 60 W. Scott McLennan 18 Dedroom Chest for a Man 18 Don Cartner Associates 5 Desk-Top File Cabinet 66 Sheraton Sideboard 22 Lester Margon 10 In the Next Issue 65 Four-Harness Jack Loom, Part I 24 Enno R. Haan 28 Warner Benson 10 Curved Staircase 34 Jack Down 29 Letters to the Editor 6 Butterfly Table 36 Shoppers' Showcase 12 Ralph Treves 40 WORKBENCH Research Department 50 WORKBENCH Women's Page 54 Trunks to Storage Chests Cheryl Brogdon All About Wood Bits 42 Book and Booklet Reviews 57 Candle Holders 46 Refinishing Clinic 58	Versatile Vise	10	Harold Jackson	
Wagon-Seat Storage Bench W. Scott McLennan  Bedroom Chest for a Man.  Don Cartner Associates  Sheraton Sideboard Lester Margon  Four-Harness Jack Loom, Part I. Enno R. Haan  Cutting Do-It-Yourself Aluminum  Cutved Staircase Jack Down  Butterfly Table Ralph Treves  "Pop" RiveTool One-Wheel Camping Trailer James Hyek All About Wood Bits  Alsociates  17  Carving a Lion Alexander van Elst Cracker Cradle  63  Desk-Top File Cabinet  64  Desk-Top File Cabinet  65  Desk-Top File Cabinet  65  Letters to the Next Issue 65  DEPARTMENTS  Letters to the Editor 6  WORKBENCH Research Department 50  WORKBENCH Women's Page 7  Trunks to Storage Chests Cheryl Brogdon Alexander van Elst  Cracker Cradle 63  Desk-Top File Cabinet 65  Desk-Top File Cabinet 65				
W. Scott McLennan Bedroom Chest for a Man				60
Desk-Top File Cabinet 66  Sheraton Sideboard 22 Lester Margon In the Next Issue 65  Four-Harness Jack Loom, Part I. 24 Enno R. Haan  Cutting Do-It-Yourself Aluminum 28 Warner Benson Installing a Ceiling Light 30  Curved Staircase 34 Jack Down Letters to the Editor 6  Butterfly Table 36 Shoppers' Showcase 12 Ralph Treves WORKBENCH Research Department 50  "Pop" RiveTool 39  One-Wheel Camping Trailer 40 James Hyek All About Wood Bits 42  Refinishing Clinic 58	W. Scott McLennan			00
Sheraton Sideboard 22 Lester Margon In the Next Issue 65 Four-Harness Jack Loom, Part I. 24 Enno R. Haan Cutting Do-It-Yourself Aluminum 28 Warner Benson Installing a Ceiling Light 30 Curved Staircase 34 Jack Down Letters to the Editor 6 Butterfly Table 36 Shoppers' Showcase 12 Ralph Treves WORKBENCH Research Department 50 "Pop" RiveTool 39 One-Wheel Camping Trailer 40 One-Wheel Camping Trailer 40 James Hyek Cheryl Brogdon All About Wood Bits 42 Book and Booklet Reviews 57 Candle Holders 46 Refinishing Clinic 58	Bedroom Chest for a Man	18		
Lester Margon Four-Harness Jack Loom, Part 1. 24 Enno R. Haan Cutting Do-It-Yourself Aluminum 28 Warner Benson Installing a Ceiling Light. 30 Curved Staircase 34 Jack Down Letters to the Editor 6 Butterfly Table 36 Shoppers' Showcase 12 Ralph Treves WORKBENCH Research Department 50 "Pop" RiveTool 39 One-Wheel Camping Trailer 40 One-Wheel Camping Trailer 40 James Hyek Cheryl Brogdon All About Wood Bits 42 Book and Booklet Reviews 57 Candle Holders 46 Refinishing Clinic 58	Don Cartner Associates		Desk-Top File Cabinet	66
Four-Harness Jack Loom, Part I. 24 Enno R. Haan  Cutting Do-It-Yourself Aluminum 28 Warner Benson Installing a Ceiling Light. 30  Curved Staircase 34 Jack Down Letters to the Editor 6 Butterfly Table 36 Shoppers' Showcase 12 Ralph Treves WORKBENCH Research Department 50 "Pop" RiveTool 39 One-Wheel Camping Trailer 40 One-Wheel Camping Trailer 40 James Hyek Cheryl Brogdon All About Wood Bits 42 Book and Booklet Reviews 57 Candle Holders 46 Refinishing Clinic 58		22		0=
Enno R. Haan  Cutting Do-It-Yourself Aluminum 28  Warner Benson  Installing a Ceiling Light 30  Curved Staircase 34  Jack Down Letters to the Editor 6  Butterfly Table 36 Shoppers' Showcase 12  Ralph Treves WORKBENCH Research Department 50  "Pop" RiveTool 39  One-Wheel Camping Trailer 40  James Hyek Cheryl Brogdon  All About Wood Bits 42 Book and Booklet Reviews 57  Candle Holders 46 Refinishing Clinic 58	Control of the Contro		In the Next Issue	65
Cutting Do-It-Yourself Aluminum 28 Warner Benson Installing a Ceiling Light. 30 Curved Staircase 34 Jack Down Letters to the Editor 6 Butterfly Table 36 Shoppers' Showcase 12 Ralph Treves WORKBENCH Research Department 50 "Pop" RiveTool 39 One-Wheel Camping Trailer 40 James Hyek Cheryl Brogdon All About Wood Bits 42 Book and Booklet Reviews 57 Candle Holders 46 Refinishing Clinic 58		24		
Warner Benson Installing a Ceiling Light		20		
Installing a Ceiling Light		20	DEPARTMENT	S
Curved Staircase     34       Jack Down     Letters to the Editor     6       Butterfly Table     36     Shoppers' Showcase     12       Ralph Treves     WORKBENCH Research Department     50       "Pop" RiveTool     39     WORKBENCH Women's Page     54       One-Wheel Camping Trailer     40     Trunks to Storage Chests Cheryl Brogdon       James Hyek     Cheryl Brogdon       All About Wood Bits     42     Book and Booklet Reviews     57       Candle Holders     46     Refinishing Clinic     58				
Jack DownLetters to the Editor6Butterfly Table36Shoppers' Showcase12Ralph TrevesWORKBENCH Research Department50"Pop" RiveTool39WORKBENCH Women's Page54One-Wheel Camping Trailer40Trunks to Storage Chests Cheryl BrogdonAll About Wood Bits42Book and Booklet Reviews57Candle Holders46Refinishing Clinic58		30		Ξ,
Ralph Treves  "Pop" RiveTool 39  One-Wheel Camping Trailer 40 James Hyek All About Wood Bits 42  Candle Holders 46  WORKBENCH Research Department 50 WORKBENCH Women's Page 54 Trunks to Storage Chests Cheryl Brogdon Book and Booklet Reviews 57  Refinishing Clinic 58	Installing a Ceiling Light			
Ralph Treves  "Pop" RiveTool 39  One-Wheel Camping Trailer 40 James Hyek All About Wood Bits 42  Candle Holders 46  WORKBENCH Research Department 50 WORKBENCH Women's Page 54 Trunks to Storage Chests Cheryl Brogdon Book and Booklet Reviews 57  Refinishing Clinic 58	Installing a Ceiling LightCurved Staircase		Letters to the Editor	6
"Pop" RiveTool 39 WORKBENCH Women's Page 54 One-Wheel Camping Trailer 40 Trunks to Storage Chests Cheryl Brogdon 57 Candle Holders 46 Refinishing Clinic 58	Installing a Ceiling Light Curved Staircase	34		
One-Wheel Camping Trailer	Installing a Ceiling Light	34	Shoppers' Showcase	12
James Hyek Cheryl Brogdon All About Wood Bits 42 Book and Booklet Reviews 57 Candle Holders 46 Refinishing Clinic 58	Installing a Ceiling Light	34	Shoppers' Showcase	12 50
Candle Holders	Installing a Ceiling Light	34	Shoppers' Showcase	12 50
	Installing a Ceiling Light	34 36 39 40	WORKBENCH Research Department WORKBENCH Women's Page Trunks to Storage Chests	12 50
	Installing a Ceiling Light	34 36 39 40	WORKBENCH Research Department WORKBENCH Women's Page Trunks to Storage Chests Cheryl Brogdon	12 50 54
	Installing a Ceiling Light	34 36 39 40 42	Shoppers' Showcase  WORKBENCH Research Department.  WORKBENCH Women's Page.  Trunks to Storage Chests Cheryl Brogdon  Book and Booklet Reviews.	12 50 54 57

Cover Photo, Courtesy: Marlite Wallpanels

#### ADVERTISING AND SALES OFFICES

New York, New York 10017, Ed. J. Smith 50 East 42nd Street, OXford 7-7990

Minneapolis, Minn. 55402, Milton B. Bock 309 Baker Building, FEderal 6-5357

Chicago, III. 60603, John Cockerell, Inc. 116 South Michigan, ANdover 3-6929

Birmingham, Mich. 480, Frank B. Heib 188 Elm St., (Area Code 313) 647-1655

Los Angeles, Calif. 90005, The Eschen Co. 3142 Wilshire Blvd., DUnkirk 2-8391

San Francisco, Calif. 94104, The Eschen Co. 57 Post St., SUtter 1-7440

Atlanta, Georgia 30305, Pirnie & Brown 3108 Piedmont Rd., N.E. (Area Code 404) 233-6729

John E. Tillotson IIPu	blisher
Jay W. Hedden	Editor
C. B. MorseElectronics	Editor
E. McCallAssistant	Editor

B. A. Steinman ......Art Director M. Mueller Staff Artist

M. Niblo .... Editorial Assistant


R. Turpin Advertising Manager




WORKBENCH is published bimonthly by Modern Handcraft, Inc., 543 Westport Road, Kansas City, Missouri 64111. Second class postage paid at Kansas City, Missouri, and additional mailing offices. Thirty-five cents a copy. Annual subscription \$2 in the United States and its possessions; \$2.50 in Canada; Foreign subscriptions, \$2.50. Six weeks advance notice required for change of subscription address. Both old and new addresses must be given, and request marked for Circulation Department, WORKBENCH. Printed in the U. S. A., Copyright by Modern Handcraft, Inc., 1964. Postmaster: Send form 3579 to: Modern Handcraft, Inc., 543 Westport Rd., Kansas City, Mo. 64111.

Contributors should make a copy of all manuscripts submitted. Every effort will be made to return rejected manuscripts, photographs, and diagrams, if accompanied by sufficient first class postage, but WORK-BENCH will not be responsible for any loss of such material.

# "See my new right arm!" says Johnney Unitas Star Quarterback, Baltimore Colts





#### THIS AMAZING NEW DEWALT HOME SHOP HAS EVERYTHING, BUILDS ANYTHING-MAKES ANY AMATEUR A PRO-

"Phenomenal!" is the word for this all-new radial arm star. The DeWalt Home Shop is built for every man who's got a yen to move up to more class, more action, more projects-to-be-proud-of. It's a cinch to operate. With accessories, it's actually 14 tools in one. Takes the work and guesswork out of woodworking. And DeWalt quality, DeWalt accuracy, DeWalt rugged-

ness promise you a lifetime of pleasure-at a low price of \$159.95.

Interested? Then listen to this! With your new DeWalt Home Shop you get a free Be-A-Pro Instruction Course with over 100 show-how pictures and A-B-C easy directions. See your DeWalt dealer now-or mail the coupon for more information today.

# ONLY \$15995




DeWalt, Inc. 44307 Fountain Ave. Lancaster, Pa.

Wow! A DeWalt Home Shop for \$159.95. A Be-A-Pro Course. Tell me more!

Zone State

### NEW EASY WAY TO Antique

NEW OR OLD FURNITURE



Our five new Antique Glazed Color kits make it easy to antique new or old furniture, even without removing the old finish. Simply paint, glaze and wipe for a beautiful effect. Complete kit in each rich color with everything needed to finish average chest or dresser — one pint of undercoat, ½ pint of color glaze, color panel showing each step from bare wood to final finish, detailed instructions, paintbrush, sandpaper and cheese cloth. Order your kit now, or set of 5 color panels. Satisfaction guaranteed. Our five new Antique Glazed Color kits make

#### GASTON FINISHES, Dept. W Bloomington, Indiana

Please rush your Antique Glazed Color kits Please rush your Antique Glazed Color kits 

@ \$4.10 per kit, postage paid East of Denver (84.40 West), and/or set of 5 color 
panels @ 75c per set (stamps okay) as 
checked below:

| Kit A—Parchment. Off-white undertone. General 
parchment color.

| Kit B—Caribbean. Light gray-green effect, 
| Kit C—Classic Yellow. Subdued golden color. 
| Kit D—Barcelona Blue. Blue-green or Pennsylvania Dutch, 
| Kit E—Meadow Green. Medlum green undertone. 
| Dark brown overtone. 
| Set of five wood color panels (size: 1" x 8") 
showing each step, detailed instructions and price 
of individual items in large quantities.

Address

Zip Code. State.



...your way to finer refinishing and painting with high-quality Sun Ray Steel Wool . . . 7 grades, available at leading hardware and paint dealers. Write for free folder on "steel wooling" tips. The Williams Company, Dept. WB, London, Ohio.



#### BUILD YOUR OWN CAMPER!


TRAILER-OR FOLD-OUT Complete, easy to follow plans, instructions and materials list.
WE HAVE SUPPLIES AND ALUMINUM SKIN. PLANS \$395 each VIKING CAMPER SUPPLY MINNEAPOLIS, MINN Letters to the Editor

Dear Mr. Hedden:

Enclosed is a snaphot of a spinning wheel I made from plans in the Jan.-Feb., 1963 WORKBENCH, but done to scale. I carved it entirely with a pocket knife; a tedious job that took about two weeks.

Enjoy every copy of the magazine and won't let anyone throw away

Joe B. Killian, Cuba, Ala.



Dear Mr. Killian:

A beautiful job of carving. Yours is the first scale model we have heard about, and certainly the only one that was hand carved. Did you also carve the cradle?

Dear Mr. Hedden:

In the Nov.-Dec., 1963 Research Department you told a Vermont reader that installing a damper in an old fireplace would be difficult and expensive. I must disagree, as our house is 300 years old, and we have had dampers put in two fireplaces, by two different masons. The job was not too messy, and was done in less than eight hours. The fireplaces were shallow, so the damper were installed first, then a new front of brick was applied. The fireplaces work well and do not smoke. One of the jobs was done 30 years ago, the other about 25 years ago. The cost then, with damper, was less than 75 dollars for each job. M. F. Loring, Rhode Island.

Dear Mr. Loring:

It is quite possible that some fireplaces could be fitted as you describe, but there are a couple of problems. First, not all the old fireplaces are built the same, and second, the cost of labor has skyrocketed in the years since you had the dampers installed. A cost of several hundred dollars would have to be balanced against the convenience of the damper, and the price of a simple screen in front of the the fireplace to stop drafts.

Dear Mr. Hedden:

Note that several tips have been given on various ways to prevent damage to a wooden surface when trimming dowels. I use a drill gauge, a thin metal plate in which are punched holes ranging in diameter from 1/4 to 1/2 in. I keep the finish face of the gauge down; thus the saw blade does not damage the wooden surface, nor mar the legends on the gauge. M. Bonneville, Norfolk, Va.

Dear Mr. Bonneville:

Thank you for the tip. We are somewhat amazed by the number of variations that readers have given us on how to prevent damaging a wooden surface when flushtrimming the ends of dowels. We do know we have an ingenious group of craftsmen as readers. Again, thanks to all who have sent ideas. And, let's send more.


Dear Mr. Hedden:

Writing to tell you how much I enjoy WORKBENCH. Am enclosing a snapshot of the Slim-Jim Chest I made from plans in the Jan.-Feb., 1962 issue. Chest is made of red cedar and stands 52 in, high.

Would like to see more lathe projects in the magazine; I'm a senior in high school and our shop just

received a lathe.

Danny L. Scott, Zanesville, Ohio.




Dear Mr. Scott:

Nice job on the chest; it is unusual to see red cedar used in this manner for furniture.

We would publish more lathe articles but our writers have not been sending any. Any of you readers have some lathe projects, send them along.

# ...moves Hearing Aids 10 years into the future

Space age technology
gives you the
world's smallest
hearing aid circuit
for greater
dependability, smaller
size, more power.




\*ACTUAL SIZE

Zenith puts space-age developments to work for you... in the amazingly small, powerful Microlithic hearing aid circuit providing all amplifying functions. This tiny cir-

cuitry represents the most important hearing aid advance in years...and Zenith introduces it 10 years ahead of schedule!

Here's why the Microlithic Circuit means so much to you: Because it does the work of 22 components, takes up so *little* space, Zenith can put much, much more into its hearing aids than ever before...6 transistors, more



Ask your Zenith dealer (listed in the Yellow Pages) to show you the new Microlithic Circuit. Caution: You'll need a magnifying glass.

New Zenith "Arcadia"—tiny behind-the-ear hearing aid—is the first hearing aid with this exclusive Microlithic ICP Circuit. Weighs only ½ ounce with battery. Also available with Tele-Touch switch so you can adjust quickly between telephone and person-toperson conversations.



HEAR	AGA	IN
HEN	ITH	982
ZEN		0
"LIVING		-
HEARIN		

Please send me FREE BOOKLET telling the exciting story of Zenith's new Microlithic Circuit and additional information on the "Arcadia" hearing aid.

Zenit	h Radio C	orporatio	n, Dept.	87U
6501	W. Grand	Ave., Ch	icago, I	11, 60635

	******	2002
CITY	STATE	CODE
ADDRESS		
NAME		

Would you like to find a paint remover that removes all the work, all the mess from paint removing?

So would we.

But Savogran's Strypeeze semipaste [for fine furniture] or Strypeeze non-flammable [for tough jobs] removes more work, more mess than any other paint remover.

Always buy Strypeeze.





QUALITY PRODUCTS SINCE SAVOGRAN COMPANI

> NORWOOD, MASS. Addison, III. Los Angeles, Cal.



treat plain window glass so YOU CAN LOOK OUT through it, but the person on the other side CAN'T LOOK IN AT YOU. To get your Complete "One Way Glass Formula" send only \$1.00 to:

E-Z FORMULAS, Dept. 2395 6311 Yucca St., Hollywood 28, Calif.



Dear Mr. Hedden:

Enjoy reading WORKBENCH, find it has very interesting projects. Note you have published pictures of quite a few grandfather clocks made by readers, so am sending a photo of one I made. It is my own design, and is made of solid walnut finished with Danish oil. The movement is from Mason and Sullivan.

Ralph Benson, Benson, N. C.



Dear Mr. Benson:

A most attractive design; the classic slender waist is retained. but your individual touch is certainly apparent. The use of solid stock also is unusual, as most clocks today are built with hardwood plywood. Our congratulations on a truly beautiful clock.

Dear Mr. Hedden:

Hope someone on your staff, or a reader, can recommend a satisfactory adhesive for cementing abrasive disks to a 12-in. aluminum sanding disk. I have had the sander some years, and have never found an adhesive that is convenient, ready to use and which permits easy removal of the sanding disk when it is worn. Most adhesives require clamping the disk overnight to make sure it adheres properly. Removing the disk requires soaking and scraping. Several of my craftsmen friends tell me they have the same problems. I have used rubber cement, gasket com-pound, white glue and all kinds of stick-type adhesives. I tried heat, applied clamps and used every trick I know. Too often the ad-hesive disk "bubbles" up and falls

The best dope I have used was a red-colored, odorless paste sold by Sears. Our local store, however, is out of it, and they do not seem anxious to restock it. This stuff really sticks, but does require soaking for about 12 hrs. Also, the paste dries up in the bottle in a short time and becomes useless.

Hope someone can suggest a good adhesive.

Robert Sillick, Burlington, Iowa.

Dear Mr. Sillick:

Must confess we have had much the same experience. Any of you readers have any suggestions? If any manufacturers read this letter; we would be glad to test their pro-

Dear Mr. Hedden:


Have made model ships, etc. from detailed plans, now am looking for plans to make a model stage coach or covered wagon. Do you have such plans? J. M. Clark, Chillicothe, Ohio.

Dear Mr. Clark:

We recently have received a number of such requests and are asking our contributors to send us such an article. Will publish it as soon as we can. In the meantime, suggest you write to Walters Hobby Shop, 207 French Rd., Utica, New York. They have a good selection of unusual models.

Dear Mr. Hedden:

Enclosed are a couple of snapshots of the Colonial Water Bench my husband built from plans in the July-August, 1963 issue. We decided to leave out the center drawer at the top. We applied cherry stain to the pine so it is the exact color of the photo on the cover. I enjoy WORKBENCH as much as my husband. We plan to build a wash stand next; do you have the plans? Mrs. J. W. Moore, Lafayette, La.



Dear Mrs. Moore:

Your husband has done a beautiful job in reproducing the Water Bench. We are somewhat curious as to what you will store in the small opening left by omitting the drawer. We do not, at the moment, have plans for a wash stand, but no doubt will have them in the future.

ay w. Helden

#### **NEW LUMBER STANDARDS**

What do the proposed new lumber standards mean to you as a home owner and as a craftsman? (It is possible by the time this article is published that the standards will have been accepted and will be in force.) Simply stated, the standards mean you will be able to buy dimensioned lumber at lower cost, that it will be stronger and more dimensionally stable, and that there will be much less of a problem in new homes because of popping nails and cracked plaster.

The new standards state that 2-in. dry lumber will be dimensioned at 11/2 in. in thickness, but there will be no change in width. By "dry" lumber is meant wood having a moisture content averaging 15 per cent, with a maximum of 19 per cent. All 2-in. lumber now is dimensioned at the mills at a thickness of 1% in. whether green or dry. The green lumber usually dries and stabilizes in place to a thickness of about 1-9/16 in. This shrinkage is what causes nail popping in plaster walls, and warping and twisting of studs and joists. If the lumber is dried before it is installed it will not shrink,


and all the resultant problems will be eliminated. Green lumber will be dimensioned at the mills at slightly less than 15% in., so it will stabilize at 11/2 in. when dry. Because dry lumber is lighter and smaller, more can be shipped for the same cost: this means a lower cost to the retailer, and to the ultimate user. The builder and craftsman also knows that when he buys the new standard 11/2-in. lumber, that all pieces of the lumber will be of that dimension. In the present situation both dry and green lumber are shipped at the same dimension; the buyer never is sure what the actual thickness of the material is, and can have problems when using lumber of varying thickness in a single construction project.

The problem started during World War II, when the shortage of lumber forced mills to ship both green and dried lumber together. Before that time such agencies as the FHA required that only dried lumber be used in houses for which they insured a loan. In theory this requirement still remains; in practice it is

extremely difficult to enforce.

Tests over the years have proved that dry lumber 11/2 in. thick is stronger than green lumber 1% in. thick. (For example, none of the houses built with 1% green lumber that later dried to 1-9/16 in. have fallen down.) And, because the width of the lumber is not to be changed, there is no need to change specifications as regards allowable spans for floors, ceilings and the like. Another example: Two 2 x 4s side by side are twice as strong as one 2 x 4, but a 2 x 8 is almost four times as strong as one 2 x 4. The difference in the strengths is a result of the extra width.

Wood can have a moisture content as high as 250 per cent, as when logs are floated to a saw mill. "Free water" in the cell cavities of the wood evaporates until the wood has about 30 per cent moisture content. At this point "absorbed water" in the cell walls begins to evaporate. Down to the 30 per cent condition there would be no change in the dimension of the wood. From 30 per cent down, shrinkage begins, and strength increases.  $\triangle$ 





For Anchoring: Bolts Screws Railings Heavy Machinery

For Electronic Assemblies: To fasten terminal wires and posts.

For Casting o Molding SPECIAL INTRODUCTORY OFFER

X-PANDOTITE, the original tub caulk, tile grout, setting and general repair cement is best because it expands as it sets, it is not a paste, sticky, not messy and will give up to 7 times more coverage than the "tube type" material... for the same price. Restores original appearance permanently.

X-PANDOTITE is easy to work. Just add water and stir, Non-toxic; it can be drilled, tapped, colored, painted or stained . . not affected by water, steam, alkali, soap or other corrosive agents.

Get X-PANDOTITE Expanding Cement at your local dealer . . . or send coupon. Literature available.

over 35 years of acceptance

SEND THIS COUPON FOR A POSTPAID WORKING SAMPLE TODAY . . . Dept. G-74

Yes send me a full ½ pound trial can of X-Pandotite, the easy-to-use, permanent, crack-proof and shrink-proof, white mortar-like cement that expands as it sets...l am enclosing my check or money order for \$1.00. (U.S.A. only)

Name

Street or RFD

City

Zone State

X-PANDO CORPORATION 43-15 - 36th St., Long Island City 1, N. Y.

#### IT CLEANS!

INSTANTLY
REMOVES
ALL
STUBBORN
STAINS!




If not available at your dealer, write Direct for FREE samples plus literature on other Quickee Specialized cleaners. Quickee—B. T. Babbitt, Inc., N. Y. 22, N. Y.

- OUTDOOR FURNITURE
- VENETIAN BLINDS
- REFRIGERATORS
- RADIATORS
- · CABINETS
- . BIKES TOYS
- · WICKER




IF YOU PRIZE IT ... KRYLON-IZE IT









#### VERSATILE VISE

While most vises are just vises, the "Little Wonder" is much more versatile and we award it our Shop-Tested Seal because of its many applications. First of all, the vise is not anchored permanently but is held with a pair of wedge-clamps that can be fitted to the edge of most work surfaces. We

ran our tests with the vise clamped to the edge of the table of a radialarm saw.

The vise can be set up so there is a full 8-in. span between the jaws, it can be positioned so the tightening clamp is at either the right or left end of a bench, and the jaws can be located up or down.

Parallel upper and lower jaw surfaces provide a rigid grip for work that requires being held very tightly; plastic inserts for the jaws



Base-relief carving for piece of furniture is held securely with vise used as large C-clamp positioned vertically.



With one wedge-clamp inside jaws, full 8-in. span between jaws permits holding work too wide for machinist's vise.

permit holding very fragile items as well.

Auxiliary clamps that fit in the bases of the wedge-clamps permit holding a long piece of stock for planing to the round, or otherwise shaping it. Odd shapes and sizes can be held by the vise when it is used as a large C-clamp.

Despite its versatility and ruggedness, the Little Wonder is extremely light in weight, and is compact enough to be stored in a small space. It would be fine to take along in the tool box when working in the field away from a workbench. If your local tool dealer does not handle the vise, send directly to Little Wonder Inc., 1028 Street Rd., Southampton, Pa. Cost is \$15.95 ppd.  $\triangle$ 



Parallel upper and lower jaws provide very strong grip on larger and longer stock that is to be worked.



11. Roll-away cabana



29. Chuck wagon




38. Table tennis table



56. Residential awnings



58. Garden center



64. Outdoor playhouse

# 66 "IDEA PLANS"

### tells you where and how to use MASONITE panel products

This 16-page illustrated booklet includes:

- construction tips on working with many of the versatile Masonite panels
- 66 project ideas—how to build it better with smooth, tough Masonite hardboard
- descriptions and uses of Masonite hardboard panels


It's all yours for the asking; mail the coupon today.

### MASONITE

shows the way!


Masonite is a registered trademark of Masonite Corporation

Masonite Corporation, Dept Box 777, Chicago 90, Illinois	
Please send free "Idea Plan (one only)	
Name	
Address	
City	Zone
County	State



#### Sagging Stomach?

Appear inches slimmer in your Pi Peer Slim-R. Broad, powerful elastic belt pulls in sagging stomach muscles, helps relieve minor aches and pains caused by backstrain. Detachable pouch gives extra lift many men want. Completely washable. Only \$4.98 plus 25c postage. Send measurement around hips. Satisfaction guaranteed or money back if returned postpaid in 30 days. Piper Brace, Dept. WB-74R, 811 Wyandotte, Kansas City, Mo. 64105.



#### Make Your Own Nature And Art Tiles


With embedments of colorful leaves, flowers, butterflies, art objects, travel mementos all permanently protected and preserved. These 4½-inch tiles are the same size as standard ceramic and plastic tiles, we supply the inexpensive molds. Use them in your kitchen or bathroom, or make trays, table tiles, many other decorative accessories. Requires no heat. For illustrated directions, mail 25¢ to Dept. 9-J, The Castolite Company, Woodstock, Illinois.

# Shoppers'

ELECTRONIC MOTOR CONTROL for hand power tools. Just plug in tool and dial best speed to suit the work. Full power with infinite speed control is maintained by principle of "electronic feedback". This allows motor to operate without loss of power at any speed. Useful for drills, saws, polishers, sanders; any tool powered with universal motor. Model 720A is \$19.95 from Newco Prod., Dept. 107, Wayzata, Minn.



LAWN-MOWER SHARPENER fits any 1/4-in. or larger electric drill. Quickly and easily sharpens rotary lawn mower blades, (all makes and models), Roto Tillers, Moto Tillers, sickle-bar cutters, hoes, scythes, other edge-cutting tools. The angled grinding wheel is reversible for double life. Made in the United States. Just \$1.98 postpaid from Arco Tools, Inc., Dept. WB-5P, 421 W. 203 St., New York 34, N. Y.




ART OF DWARFING TREES, called "Bonsai", was first developed in Orient over 600 years ago, now is a fast-developing hobby in this country. An ideal gift for Mother's Day, birthday, or shut-in would be "Bonsai Kit" consisting of live evergreen trained bonsai tree in authentic bonsai pot. Included is illustrated booklet on caring for tree. \$5 from Bamboo Man, Bonsai Dept., Upper Saddle River, N. J. Start yourself an indoor forest.



YOU WILL KNOW MORE in half an hour about the soil in your yard and garden when you use a soil-test kit than you will learn in a lifetime of gardening. A soil-test kit is fascinating to use and frequently tells why you are having problems growing a particular plant. No knowledge of chemistry needed. Small kit in plastic case, \$9.95 ppd.; larger kit in steel case, \$14.95 ppd. Sudbury Laboratory, Box W, Sudbury, Mass. 01766.






#### Keep Dry The Masculine Way

Stop embarrassment of wet garments and bedding with Male-Dri, the day-and-night support. Elastic belt, wet-proof pouch. Quilted absorbent reusable cotton pad snaps in, removes for laundering. Ideal in post-operative cases for this condition. Patent pending, \$5.95 plus 25c postage. Price includes 3 pads. Boys' sizes available, too. Send measure around lower abdomen. Piper Brace Co., Dept. WB-74M, 811 Wyandotte, Kansas City, Mo. 64105.



#### Septic Tank Trouble?

Homeowners — This company has a nonpoisonous bacterial compound that works to keep septic tank and cesspool clean, will prevent overflow, back-up and odors. Regular use of this compound can save costly pumping or digging. It is easy to use. Money back guarantee of satisfaction. A six months' supply, \$2.95, or a full year's supply for only \$5.50, postpaid. Northel Distributors, WM-7, P. O. Box 1103, Minneapolis, Minnesota 55440.



#### Make Your Own Music

An exciting project for the home craftsman—a full size baritone ukelele. Slightly larger than the standard ukelele, this instrument produces a deep, mellow guitar-like tone. Tuned and played like the first four strings of a guitar, this rewarding project will give you many pleasant hours. Full size plans include detailed instructions, construction tips, sources for special woods and materials. Send \$2.00 to: Ukelele, 543 Westport Rd., Kansas City, Missouri 64111.

# Showcase




POWER SPEED PULLER lifts, pulls, moves and stretches loads up to 1,500 lbs. Weighs only 10 lbs. Does the tough backbreaking jobs around shop, home and farm. Has a compact crank handle that ratchets for work in tight places. Geardriven cable spool with a 3-to-1 gear ratio. Automatic brake holds load at any point. Direct from manufacturer, \$18.95. Zerco Mfg. Co., 2703-C South Campbell, Springfield, Mo. 65904.



AUTHENTIC BRICK APPEARANCE is given by new Norman Z-Brick when used either inside or outside the home. Illustrated here is used-brick effect; new brick effect also is available. Brick applies to any reasonably rigid surface, adheres permanently and requires no foundation. Is applied with ordinary tools, requires no special skills. Details and catalog sheet from Z-Brick Co., 5600—14th St. N. W., Seattle, Wash. 98107.



MORE THAN 250 plated, carbon steel self-locking nuts are in this handy "on the job" kit. In unbreakable plastic box, compartmented for easy selection and identification, No. 700 Kit contains standard and thin-height hex nuts in coarse and fine-thread series. Included are sizes from 4-40 to ½"-20, to fit every shop need. Kit is \$15 from Dept. 2763, Elastic Stop Nut Corp. of America, 2330 Vauxhall Rd., Union, N. J.




PAPER-CLIP DISPENSER hands you one clip at a time ready for use, eliminates irritating struggle with tangled, joined-together clips. Handy dispenser loads in just moments with special cartridges containing 100 clips. Ideal for home and office use, clip dispenser measures about 7 in long, is molded of sturdy two-tone gray plastic. Priced at \$4.95 from Bancroft's, Dept. 44-144, 251 E. Fifth St., St. Paul, Minn., 55101.



#### Amazing Kitchen Helper — "Busy Liz"

Does 101 jobs easier, faster, better. Large jar funnel, small bottle funnel plus 4 slip on attachments fills jars, strains drippings, baby liquids, soups, everything fast as you pour. Includes egg white separator. Equally handy in workshops, pouring and straining paint, brush cleaner, oil, etc. Only \$1.00, 2 for \$1.75. C.O.D. postage extra. Cash orders add 25c and we ship ppd. Rush order today. Rapid Specialties BL-1608, Grand Rapids, Michigan 49502.



#### Instant Backache Relief

Patented Pi Peer Back-Easer® relieves back pain, slims waist, improves posture, helps relax tensed nerves. Strong, formfitting, washable. Snap front. Encircling pull straps for easy adjustment and instant relief. Large foam rubber pad holds, massages back. Prescribed by doctors. No fitting. Send hip measurement. Only \$5.95 plus 25c postage. Piper Brace Co., Dept. WB-74B, 811 Wyandotte, Kansas City, Mo. 64105.




#### Original Designs

Variety and interest are the keys to America's most popular needlework magazine, The Workbasket. Every month you'll have original tatting, knitting, and crocheting designs right at your fingertips. You'll also find information on embroidery and needlepoint plus gardening tips and mouth-watering recipes. Four times a year receive hot iron transfers free. Send only \$1.00 for 12 issues to the Workbasket, 543 Westport Rd., Kansas City 11, Mo.



#### Cedar Closet Coater.

Now everyone can have a cedar scented closet for a fraction of the cost of cedar wood. Cedar-Scent closet coater contains more cedar oil than cedar wood and can be applied with a brush or trowel. One 5 lb. can mixed with water will cover the average closet. Send \$7.95 M. O. or check for one 5 lb. can or \$29.95 for case of 4 cans. Shipped prepaid. Manufactured Products Co., Dept. 467, 2332 S. 14th St., Kansas City, Kansas 66103.



#### Goodbye Rupture Misery

Patented Comfo-Truss weighs just 3½ ozs., yet holds reducible inguinal hernia as gently and surely as your hand. Body belt of soft, cloth-covered foam rubber. No laces, no snaps—quick one-buckle adjustment. Foam rubber groin pad. Washable. \$4.95 right or left side, \$5.95 for double models plus 25c postage. Be sure to send measurement around lowest part of abdomen. Kinlen Co., Dept. WB-74C, 809 Wyandotte, Kansas City, Mo. 64105.



### **BEDROOM STORAGE WALL**

When considering a room modernization project in an old house, the first step is to do some careful planning. Analyze the strengths and weaknesses of the room, decide what you would like to do—and if it can be done—then figure the best way to accomplish the job. First, plan to have the modernization good for a number of years. Second, design a unique—not flashy or extreme—decor. Third, include "convenience" features.

The large bedroom shown and

described in this article had plenty of space, but no storage. The room did have potential, and careful planning transformed it into a beautiful room, as shown on our cover and in the lead photo.

Because of the generous size of this room, one entire 14-ft. wall was remodeled into two 7-ft. walk-in closets with floor-to-ceiling doors. The facing wall, however, presented a problem. As is often the case in older homes, there were soil pipes and plumbing projecting into the

room. This definite "negative" factor was transformed into a "plus" factor by careful planning.


A wall of 2 x 4 studs was built out from the wall to conceal the pipes. The "false" wall then was used to frame in five additional storage compartments as well as a built-in intercom system. The old wall was fitted with furring strips on which perforated hardboard was nailed. The furring permitted the use of Peg Board hooks and other fasteners in the perforations. Shelf

Wallboard on outside walls was replaced with new plasterboard, all floor and ceiling trim was removed.

brackets also could be moved to space the shelves as desired. Doors for the storage compartments were made by attaching panels of plastic-finished hardboard to 1 x 4 frames. The doors were faced with Swiss walnut woodgrain panels, as used on all the main walls. When closed, the doors fit flush and the wall has an unbroken appearance. Touch latches, (push to open, push to close), were used, as no projecting knobs or pulls are required.

The finished wall actually has three sections. From the floor up 3 ft., the wall consists of paneling over studs. The five storage compartments, two above each bed and one between them, are 3½ ft. high. The top section, also paneling over studs, is 14 in. high. The moldings account for the remaining height in the 8-ft. wall. In your own planning you might want cabinets in the lower section of the wall, and in the upper section. The latter would be for "dead" storage, as it would require a stepladder to reach these cabinets.

The wall on which the storage cabinets were built was left intact,






as it was covered with furring strips and perforated paneling, however the other walls in the room were in such poor condition that the plaster was removed down to the bare studs. In expensive plasterboard was nailed to the studs to serve as a backing for plastic-finished Marlite woodgrain planks. The planks are 16 in. wide and 8 ft. high. They are tempered hardboard ¼ in. thick, over which is applied the plastic finish. They can be cleaned with a damp cloth; even stains, handprints and crayon marks can be removed without damage.

To install the planks, a temporary 1 x 2 starter strip was nailed to the studs at the bottom of the wall. This strip was removed after the planks were in place, and replaced by a base molding. The tongue edge of the first plank, which went into a corner, was trimmed to make a smooth fit. It was plumbed, then the edge was cut to fit against the

Plastic-finished hardboard planks are tongue-and-gooved for easy application; metal clips simplify spacing.







16-in. by 8-ft. planks of paneling were attached with adhesive. Paneling needs no finishing after installation.

corner. (Very seldom will you find the corner of a room plumb or square.)

Incidentally, when ripping or crosscutting Marlite panels on a table saw, keep the finish side up. Keep the finish side up when crosscutting with a radial-arm saw, but keep it down when ripping.


Special adhesive was used to apply the planks, being applied with a notched speader to assure uniformity. For best results, the adhesive was applied to both the planks and the wall. The planks are cut so there is ¼ in. at the ceiling to allow for expansion. Allow 1/16 in. space in the joints between the planks also. Simple metal clips, spaced 16 in. apart on the tongue edge of the planks assures a good bond and helps the spacing. After the paneling is installed you can apply matching corner, base and ceiling moldings.

To modernize the two windows in the room, all trim was removed and the paneling brought flush with the windows. The edges were capped with corner molding.

Both side walls also were covered with woodgrain planks. The small area on each end of the false wall was furred out and covered with perforated woodgrain panels of the same plastic-finished hardboard.

Easy maintenance extends to the ceiling on which washable Marlite ceiling tile was used. These tiles 16 in. square have the same plastic finish as the wall planks. Plan the ceiling so you have the minimum number of tiles to cut. Start from two walls with full tiles, so you need cut only to fit against two walls. With the ceiling done, the floor was next. It first was covered with hardboard underlayment, then a vinyl-asbestos floor was installed.


If the ladies wonder about the masculine "Camelot" decor: The tailored green canopies are hung



### Wagon-Seat Storage Bench


W. Scott McLennan

Definitely Early American, but unique and practical with its storage compartment is this copy of a wagon seat. No. 2 common, or better, white pine 1 x 12s are used to build the seat. The width of the 1 x 12s, plus top and bottom, determine the height of the seat. The



bottom of the seat, and the hinged lid, require two boards to be cleated together. A rabbet is cut in each end of the back and front to accept the ends, and the finished joint then is rounded. Glue blocks 1 in. square are fitted inside the seat at top and bottom to help attach the bottom and the "flange" around the lid. Use white glue and No. 10 flathead screws 1½ in. long for the assembly. Counterbore all holes and fill them with wood plugs. A device such as the Circle-Sink plug cutter can be used to make the plugs from the same pine used for the seat. When making the back that fits on top of the seat, use a piece of ¼-in. stock and three nails to form the curve, simply tracing it with a pencil. The back and sides meet at 15 deg., requiring a compound miter. Set the miter gauge of a table saw at 75 deg. and tilt the blade to 3¾ deg. to cut these two compound miters.


After the seat is assembled, sand it smooth, then nick and scratch it to give it a "distressed" look, finally apply stain and a flat, clear finish such as Deft.  $\triangle$   $\triangle$ 



# BEDROOM CHEST

# for a man





From Don Cartner Associates here is the first item in the bedroom set in the WORKBENCH Contemporary Collection. A companion piece for the distaff side will be shown in a future issue.


While the drawings show the top, bottom and side panels to be glued-up from solid stock, ¾-in. hardwood plywood can be used instead; this will eliminate cutting the tongues and grooves. The back panel of the chest is ¼-in. plywood or hardboard

in either case. The front face of the shirt bins also can be hardwood plywood.

To start construction, cut the top, bottom and side panels to size, then cut 45-deg, miters on the ends as indicated in Fig. 1. To make the top and bottom frames, notch the two F parts as shown in the circle in Fig. 1, to clear the magnetic latches. Drill and countersink 6 holes in the upper and lower frames for No. 10 flathead screws. Make

all countersinks from the inside surfaces of the frames. Drill and countersink holes for screws in all F, H and I parts. Cut a 45-deg. miter on each end of all F and H parts. Place F, H and I parts in position on a flat surface. I parts are butted to F parts on the center of the frame. Apply glue to all joints, square up and clamp until glue is set.

To assemble end and center frames, cut ½ x ½-in. dadoes in



#### **Materials List**

34" Hardwood or Hardwood Ply-

A, Top and bottom, 7" x 42", 6 reg'd. B, Sides, 7" x 29-5/16", 6 req'd.

C, Frame facing, 1" x 40", 2 req'd. D, Frame facing, 1" x 27-13/16", 2 reg'd.

E, Frame facing, 1" x 25-13/16", 1 req'd.

M, Base frame, 31/2" x 9", 2 req'd. N. Base frame, 31/2" x 31", 2 req'd. Hardwood

F, Frame, 1" x 1" x 401/2", 4 req'd. G, Frame, 1" x 1" x 25-13/16", 6 req'd.

H, Frame, 1" x 1" x 18\%", 4 req'd. I, Frame, 1" x 1" x 16\%", 2 req'd. J, Drawer guides, 9\\\2" x 1\\4" x

171/8", 8 reg'd. O, Base leg, 11/2" x 4" x 6", 4 req'd.

¼" Plywood K, Back panel, ¼" x 28-9/16" x

411/4", 1 req'd.

Miscellaneous

L, Magnetic door latch, 2 req'd.

1/2" White Pine

M, Drawer side, 4" x 18-11/16", 2 req'd.

N, Drawer back, 4" x 181/8", 1 req'd. S, Drawer back, 71/2" x 181/8", 2 req'd.

T. Drawer back, 61/2" x 181/8", 1 reg'd.

U, Drawer side, 71/2" x 18-11/16", 4

V, Drawer side, 6½" x 18-11/16", 2 req'd.

34" Hardwood Or Hardwood Ply-

P, Drawer front, 4" x 185%", 1 req'd. Q, Drawer front, 71/2" x 185%", 2 req'd.

R. Drawer front, 61/2" x 185/8", 1 req'd.

Fir Plywood

O, Drawer bottom, 17-9/16" x 181/8", 4 req'd.

Fig. 3

Hardwood or Hardwood-Ply-

A, Door panels, 7" x 27-11/16", 3 req'd.

F, Bin panel, 7" x 13-13/16", 6 reg'd. 1/4" Hardwood Plywood

G, Bin end, 11%" x 18%", 2 req'd. H, Divider plate, 23/4" x 23/4", 4 req'd.

K, Bin wall, 11%" x 29%", 2 req'd. Hardwood

B, Pull-spacer block, 1/2" x 1" x 5", 4 req'd.

C, Pull, ¼" x 2½" x 5", 4 req'd. I, Glue block, 1" x 1" x 105%", 2 req'd.

L, Glue block, 1" x 1" x 111/8", 2 req'd. ¼" Fir Plywood

J, Bottom plate, 18" x 18", 2 req'd. 1/8" Hardboard

W, Bin divider, 11\%" x 16\%", 12 reg'd.

Miscellaneous

D, Hinge, continuous, 11/2" 27-11/16", 1 req'd.

E, Strike, 13/16" x 1", 4 req'd.


the four G parts as shown. Drill and countersink for No. 10 flathead screws. Drill 1/4 in. x 11/2 in. holes at the center of each end of G parts. Glue and insert dowels. Place G parts on flat surface. Glue and insert three J parts in each frame. Do not install top J parts at this time. Square up assembly and clamp until glue sets.

To assemble the frame, drill and countersink holes for No. 10 flathead screws in the remaining G parts. Also drill holes in the ends for 1/4-in, dowels as indicated. Place bottom-frame assembly on a flat surface with lock cutout facing down and to the front. Glue and join with dowels to the end and center frames. Attach the remaining two G parts. Check to make sure the projecting edges, (1/4 in.), of the J parts are facing each other to support the drawers. Now glue on the top frame, with the lock cutout up and facing to the front. Square up the assembly, clamp and allow to stand until glue has set completely.

To make the frame facing, notch the two C parts to clear the magnetic latches. Drill 1/4-in. holes for dowels in the centers of the cutouts for the magnetic latches. Drill holes in the ends of the E members 1 in. deep to receive the 1/4-in. dowels 1-9/16" long. Glue in the dowels. Cut 45-deg. miters on each end of C and D. Assemble C, D and E with

glue and dowels.

The base is made by first cutting to size all M, N and O parts. Drill all dowel holes. Glue and assemble



with dowels. Glue and clamp on legs until glue has set. Drill and countersink from the underside of the base for No. 10 flathead screws.

Attach the frame facing to the frame with glue and No. 10 flathead screws 11/2 in. long. Wipe off excess glue. Attach top, bottom and side panels with glue and No. 10 flathead screws 11/2 in. long. All screws, of course are driven through the frame members into the panels. Cut the back panel to shape and attach it with No. 10 roundhead screws 11/4 in. long. Use a flat steel washer, 1/4 in. I.D. under the head of each screw to keep them from piercing the veneer of the back panel. Glue and insert remaining J parts at this time in end and center frames. Seal and varnish all interior surfaces of top, bottom and side panels.

Finally, center the base on the bottom panel and attach with glue and No. 10 flathead screws 1¼ in. long. Apply a finish to all exterior

surfaces.

Not every man will want two shirt bins, so we suggest that the bottom bin be replaced with two drawers. Duplicate the two lower drawers on the lefthand side of the chest. Modify the materials list before you start construction, to eliminate the chance for errors if you do replace one shirt bin with drawers.


Make the door and door pulls as detailed in Fig. 3. You can use hardwood plywood rather than the hardwood strips that are tongue-and-groove joined in the drawing. If you are replacing one shirt bin with drawers, make a half-door of the same material. Cut all shirt bin parts to size, then assemble as follows:

Attach H parts to I with glue and screws. Attach L to G with glue and screws. Attach H-I assembly to F with glue and screws and to G. Edge-glue the end of K and insert it in the dado in F. Edge-glue bottom edges, upper righthand corners and lower righthand corners of all W parts and position. Apply glue to J, L and the kerfs. Bend K to shape and clamp to L. While clamped attach K to L with six No. 10 flathead screws 1 in. long.


Attach pulls with glue and No. 10 flathead screws 11/4 in. long. Attach hinges and strikes.

Make all drawer parts, Fig. 2 and assemble the drawers. Use glue and No. 8 flathead screws 1 in. long for assembly. Clamp and square up until glue has set.

Attach door and bin hinges to chest. Hang door and bins so they close flush with face of chest. Door and bins should fit with 1/16 in. clearance top and bottom,  $\frac{1}{16}$  in. at the vertical center.  $\triangle$ 



### SHERATON SIDEBOARD



#### LESTER MARGON

We bring you this magnificent Sheraton-style sideboard through the courtesy of the Curator of Decorative Arts of the M. H. De Young Memorial Museum, located in Golden Gate Park in the city of San Francisco, California.


While there is some question as to whether Thomas Sheraton, (1751-1806), ever had a woodworking shop in England, with the publication of his "Cabinet Maker and Upholsterer's Drawing Book," (1791-1794), he was included in the first ranks of English furniture designers. His influence became tremendous and his styles found ready and enthusiastic acceptance throughout Europe and the American Colonies. So much so

that in every decoration center in the Colonies they produced their own interpretation of his new style. Thus we find many examples of the Sheraton style, varying in some degree, in New York, Boston, Salem, Philadelphia and Baltimore. It was at this time also that the sideboard became important as part of the dining-room furniture.

The leg turnings are the only really difficult part of this side-board. The corner legs must be notched to fit, while those at the center have one side cut flat and grooved to accept the partitions. The original sideboard is solid mahogany, but veneer is used on the doors and drawers. Note that the


various veneers of crotch mahogany have not been matched, but each has been selected to give the richest possible effect. The inlays around the doors and drawers can be duplicated with ready-made banding, and a slight variation of the design will not change the over-all appearance of the sideboard. For modern construction we would suggest hardwood-faced plywood. The individual builder would still have the problem of selecting those sections of veneer that would look the best on the various doors and drawers.

The hardware on this sideboard is part of the over-all design, and we recommend that you choose hardware of similar style.  $\triangle$ 





1. On jack loom, all harnesses are raised by treadling. To weave, you depress a treadle, "throw" the shuttle.



#### FOUR-HARNESS JACK LOOM

ENNO R. HAAN

PART I

You can weave all kinds of fabric, lace and rugs up to 45 in. wide with this loom, Fig. 1, and produce an endless variety of attractive designs. Hand-woven articles are always in demand and you can make spare-time profits with this interesting hobby.

Fig. 2 shows parts of a loom and the terminology. When a loom is set up for weaving, a number of parallel cords or threads called "warp" are stretched between the back beam and the breast beam, Fig. 5. The warp is wound on the warp beam first, Fig. 3. Then it is brought over the back beam, through heddles held in the harnesses, through the reed, (a comblike guide on the beater to keep the warp evenly spaced), and then to a canvas apron attached to the cloth beam.

In weaving, you depress a treadle, Fig. 7, to separate some of the warp, thus forming a space or "shed" through which a shuttle is passed or "thrown". The shuttle introduces the cross threads or "weft". With the shed still open, you pull the beater forward to force the last strand of weft tightly against previously woven fabric. Then you depress another treadle to separate another combination of warp threads, and you return the shuttle through the shed in the opposite direction, and again pull the beater forward. The same operations are repeated using other treadles.

As fabric is woven you wind it on the cloth beam after releasing the brake on the warp beam. This unwinds a length of warp equal to that of the fabric wound on the cloth beam. When the brake is again set, tautness of the warp is maintained by a ratchet wheel and pawl on the cloth beam.

Generally preferred by most weavers, a jack loom offers a much greater variety of pattern possibilities than a counterbalanced loom. This is because the harnesses of a jack loom can be raised singly or in multiple whereas those of a counterbalanced loom work in pairs. A four-harness jack loom has fourteen different treadle tie-ups, while a four-harness counterbalanced loom has only six.

3. Rear view of loom shows enough thread on warp beam to weave ten 54in.-long rugs. Warp beam rotates.



The reed and heddles, Fig. 2, are items that you purchase. The divi-sions of a reed are called "dents". You can obtain reeds with almost any number of dents per inch. For beginners a 12 or 15-dent reed is best. To double or triple the number of warp threads per inch you simply run two or three adjacent threads through each dent.

Make the loom of hardwood such as oak for the frame, and closegrained hardwood for other parts. Cut and join the parts accurately. Sand and finish the wood so that threads will not catch. The front of the loom is the end where the breast beam is located, which you face when weaving. The right and left sides of the loom are at your right and left as you face the loom.

Make the two side frames first. as in the upper details, Fig. 4. The only difference between them is that the vertical center member of the right frame extends farther below the upper rail, and is recessed to hold V-pulleys. To assemble the frame, install the two center cross members first, then the rear rail. The lower center cross member is bolted like the frame joints. Such joints are extremely rigid and can be tightened at any time to compensate for wood shrinkage. The joints must be at perfect right angles. Cutouts in the upper cross member each accommodate four 1/2 x 2-in. V-pulleys held by 1/4-in. bolts. You can purchase metal pulleys or turn them out of hardwood. The small blocks screwed to the cross members, in the corners, are stops for the harness travel.


(In construction of the loom follow the drawings. Some details vary from those shown in the photos, but were made for simplifi-


cation and improvement.)

The back and breast beams shown in Fig. 4 have tongues at their ends to slip into slots of the corner posts, permitting easy removal to facilitate "threading" the loom. These beams are identical except for the slot in the back beam which will be explained in Part II. In the photos, round back and breast beams are shown.


The cloth beam may be square or round. Two blocks bolted to the upper side rails hold the cloth beam above your knees when weaving. A home-made ratchet wheel is shown in the upper detail, Fig. 6, but a cast-iron wheel is shown in the photos. The pawl, either flat steel or wood, is pivoted to the corner post. Fig. 6 also details the canvas apron on the cloth beam. The method of attaching the warp to the apron will be explained in Part II.

The beater pivots on the two lower side rails. Each leg is slotted at the end as in the right lower detail, Fig. 4, to permit quick removal when threading. An easily re-





5. Front view shows woven portion of rug over breast beam, partly wound on cloth beam. Beater carrying reed rests against center uprights.



movable nail, which is slipped through a hole under the pivot, keeps the legs from coming off. A metal sleeve over the threaded part of the bolt prevents excessive wear on the wood.

The cross members of the beater are grooved to hold a reed from about 5 to 6 in. wide. The upper cross member is movable up and down, the bolts riding in vertical slots. Wingnuts can be used on these bolts, but the bolts of the lower cross member are tightened with a wrench. The upper cross member has a handle at its center with which the beater is pulled forward. Both cross members are notched similarly at the ends to straddle the legs and hold the assembly rigid. The lower cross member is wide to form a shuttle race under the warp to take the weight of the shuttles as they are being passed through the shed.

The center details of Fig. 6 show construction of the warp beam. Four cross bars, drilled for dowels before assembling, are bolted to plywood or hardwood disks turned to true circles. To prevent the bars from turning out of position, a wood screw is driven into the ends of each one. Two pipe nipples extend from floor flanges, (both 1/2-in. pipe), which are bolted centrally to the outside of the disks. The nipples turn in blocks bolted to the upper side rails at the rear corner posts as in Fig. 4. Ends of the nipples are hammered square and filed to a slight taper to fit a crank, detailed in Fig. 6. The crank is used to wind warp on the warp beam. The right disk of the warp beam is grooved for a sash-chain brake installed as shown in the lower detail, Fig. 6.

The treadles, Fig. 8, pivot on a shaft held by two wooden blocks bolted to the rear cross rail. Use wooden spacers between the treadles to spread them uniformly. To space the front ends of the treadles the desired 31/4 in. on centers, you install a cross piece having six 40d spikes, altered as shown, projecting down through holes in the treadles. To prevent the spikes from binding, the holes are widened at the top and bottom. Each treadle has four screw hooks at the locations shown for connection with turnbuckles to the four lamms extending across the treadles. Use heavy steel screw hooks that will not easily bend, and drive them into pilot holes so the hooks will come close to the wood.

The lamms pivot on a bolt held by two steel brackets screwed to the lower right side rail directly under the lower center cross member. They then will line up with the small levers held between two wooden plates that are screwed to the cross member. Each lamm has four screw hooks projecting down 7. Six treadles, unformly spaced by "spiked" guide transfers 1½-in. downward pull through four lamms.

for connection to the treadles, and a single screw hook projecting upward for connection to a lever above. Be sure to get all these parts in perfect alignment.

The perspective drawing shows only a single turnbuckle between a treadle and lamm, and one between a lamm and lever. Actually, each treadle connects to two lamms as shown in the tie-up detail, upper left Fig. 8. In Fig. 7 long, slender bolts are shown as these were used instead of turnbuckles, each bolt having two nuts to lock adjustment.


The levers pivot on a 1/2-in. bolt. Their purpose is to transform a vertical movement of approximately 11/2 in. to a horizontal movement of about 51/2 in., the distance the harnesses need to be raised. The turnbuckles make it easy to adjust the linkage so there is an equal pull on the harnesses. A nut on each turnbuckle locks the adjustment. If there is any tendency for the turnbuckles to come off the screw hooks, bend the hooks to make the opening smaller. Place washers between all the levers. A length of dowel glued in holes drilled in the plates, provides a stop to hold the levers in alignment when you tie them to the harnesses.

You make four harnesses, as in Fig. 8, or you can purchase readymade harnesses. Make them of cedar or redwood. Blind holes in the ends, Fig. 8, permit two thin steel heddle supports to be sprung into them. Heddle supports of this length require a couple of hooks to keep them from bowing when subjected to the pull of taut warp.

Each harness is tied to a corresponding lever with traverse curtain-rod cord. When tying, hold the harnesses down firmly with a block wedged between them and the upper cross member. Use a block similarly to hold the lamms up so that the levers will rest against the stop dowel. The lamms then should be horizontal with the treadles hanging on them so that the front ends of the treadles come about 5 in. above the floor. From back to front the treadles then will slope upwards. Tie one end of the cord to the left screw eye of the harness. run the cord over the pulleys and loop it over the screw hook on the corresponding lever, then return over pulleys to the right screw eye of the harness, tying the cord here so it is taut.

Part II will cover the heddles, shuttles, a warp-spool rack, a loom bench, and will explain how to thread the loom and start weaving.

(To be Continued)



#### CUTTING DO-IT-YOURSELF ALUMINUM




No matter what type of saw you use to cut aluminum, or any non-ferrous metal, we recommend proper eye protection.

While the various shapes of do-it-yourself aluminum—rods, sheets, tubes, bars, extrusions, etc.—can be cut and worked with ordinary hand and power wookworking tools, we have found over the years that a table or radial-arm saw can be used for cutting the majority of the shapes. We exclude sheet aluminum, as it can be cut with scissors or tin snips when curved shapes are to be cut; when a straight line is cut, simply score the metal heavily with a linoleum knife, then bend. The metal will snap cleanly along the line.

What we wanted to determine was which of the various types of saw blade used by most home craftsmen would make the smoothest cut, and stay sharp the longest. With the cooperation of the Reynolds Metals Co., and the DeWalt Division of Black and Decker, we ran a series of tests in the WORKBENCH Model Shop. Only two shapes were cut in the tests: storm sash with a very thin cross section, and bar stock, which has the heaviest cross section of the available do-it-yourself aluminum. The results of the tests are shown Figs. 7 through 11.


Two types of setup were used: Some cuts were made on the regular table, Fig. 1, others on a lift-jig as



 Combination blade can be used, with work held on table. Note that saw teeth are at an angle to work.




2. When lift-jig is used, teeth of blade enter work more nearly vertical, making better cut, (in most cases, this is).



3. A 1 x 3 and a 2 x 4 about 32 in. long will fit on most radial-arm saw tables to provide lift-jig for metal.



4. Best insurance to prevent do-ityourself aluminum from welding to gullets of saw blade is to use wax.





5. Plywood-cutting blade, about the best non-metal-cutting blade for the average home craftsman when cutting do-it-yourself aluminum, picks up small chunks of metal in teeth gullets without the use of wax.




6. For saw blade that will not become dulled quickly, we recommend non-ferrous type that can be used for brass, copper and other non-ferrous metals as well as aluminum. Cost is moderate. Aluminum dust clings to teeth here, easily brushes loose.

7. Work cut on regular saw table. From left to right: Nonferrous blade with wax, non-ferrous blade without wax, combination blade with wax, combination blade without wax. Note slight burrs from both blades without wax.







9. From left to right: cutting on table, plywood blade, no wax. Plywood blade, on lift-jig, with wax. Plywood blade on jig, no wax. Non-ferrous blade, lift jig, with wax.



8. From left to right: miter cut with combination blade on table, using wax. Non-ferrous blade, on table, miter cut, no wax. Non-ferrous, lift-jig, no wax; combination, wax.



10. Cutting bar stock, from left to right: On table, cutting with combination blade and wax. Combination blade on table, without wax. Using non-ferrous blade with wax, on table. Non-ferrous blade, on table, without wax.



11. From left to right: Plywood blade on table, cutting with no wax, slow cut. Same, but slightly faster pull of saw. Non-ferrous blade, on lift-jig, with wax. Combination blade on lift-jig, with wax. Note cuts vary considerably.

recommended by the DeWalt representative, lead photo and Figs. 2 and 3. He also suggested the stick wax, Fig 4, a product of the Johnson Wax Co. The latter is available at some hardware stores and at industrial-supply houses.

A carbide-tipped blade was tested, but the results are not shown. The moderately-priced blade used by home craftsmen for wood has widely-spaced teeth and did a poor job on the aluminum. A regular combination blade, used by many home craftsmen, and usually supplied with table and radial-arm saws was tested, as was a plywood-cutting blade. A non-ferrous blade, Fig. 6, somewhat more expensive than a wood-cutting blade, also was tested. It did a fairly good job, and naturally stayed sharp longer.

The lift-jig holds the material so the teeth of the

blade contact the metal more nearly at right angles, (this was on a radial-arm saw; the lift-jig would not be used on a table saw). The use of wax prevented chunks of metal from welding to the blade, as happens with a "dry" blade, Fig. 5. The photos are unretouched. Note that in some cases the cuts on the jig and on the table are almost equally smooth. A combination blade is adequate, but we recommend a plywood blade, lubricated with wax. In bar stock, cut more slowly. Wear a face shield; goggles will do, but chunks of metal can be hurled in your face and make cuts. We found only slight difference in the quality of cuts when sawing square and when cutting bevels. The work must be held firmly; generally the piece cut off, not held, had a rougher surface than the piece held firmly down and against the fence.  $\triangle$ 



# **Installing A Ceiling Light**

Do you have a room in your home where you would like to install a ceiling light, but are unable to get above the ceiling to do the wiring because of a second floor? This is the situation that existed in the home described in this article. The kitchen had been enlarged to provide a dining area at one end, but there was no ceiling light, and no outlet in the ceiling to permit easy installation of such a light. A modern pull-down lamp was the choice of the home owner, as by varying the height of the lamp it could be used by the youngsters for doing their homework, as well as for general illumination. The light also helped illuminate the kitchen and make it a more pleasant place to work

The stunt used in this case was to keep the BX wiring on the underside of the ceiling and lead it to a wall switch that was combined with a receptacle. Electricity was run from an existing receptacle that was low on the wall. The first step, Fig. 1, was to chop a hole in the ceiling at the chosen location of the lamp. If the opening is over a joist, move the location a few inches either way. The opening then was extended from joist to joist. This permits the strap-type box to be nailed to the joists.

Notches were then chopped at the location of each joist, Fig. 2. These generally will be spaced 16 in. on center, although some older homes may have joists spaced 24 in. on center. If the ceiling is of plaster-board, use a sharp wood chisel and notch each joist to accept the wire to be used. BX cable or non-metallic cable is easily handled as shown and described. At the corner between the wall and ceiling, Fig. 3, extend the notch around the corner. Notch the joist and top plate of the wall as necessary.

Strip the outside cover of the cable back about a foot, fit a fiber bushing around the wire at the end of the cut cover and fit it through a knockout in the strap-type box to which the ceiling lamp will be fitted. Tighten the cable securely by the box clamps, Fig. 4. Start the cable through the holes in the ceiling, running it up over the plaster or plasterboard, Fig. 5. Nail the strap to the joists, positioning the box as close to the selected location of the lamp as possible. Pull the cable through the ceiling to the last notch next to the wall, Fig. 6. (If you are lucky and the joists run in the same direction as you wish to run the wire, a hole need be chopped only at the location of the light, and at the corner between wall and ceiling. The notch for nailing

up the strap of the light box will, of course, be at right angles to the way showed in the photos.) At the corner notch, tie a weight to the end of the cable and drop it down through the wall, Fig. 7. A hole is punched in the wall just above the baseboard, directly below the corner notch, through which the cable is led. Use special staples, made for fastening cable, to secure the cable at the corner, Fig. 8.

Now, locate the wall switch. Check the height of the switch with others in your home; you might want this one higher or lower. Cut a hole through the plaster for the switch box, Fig. 9. A three-wire cable is necessary for the switch circuit, and it is fitted in the switch box, Fig. 10. If the switch box is not located adjacent to a wall stud where it can be screwed or nailed, use sheet-metal clips, as shown in Fig. 11. The long portion of the clip is fitted inside the wall, then the tabs are bent over the edge of the box to hold it.

Back to the wire from the ceiling box: Assuming you are going to get current from an existing receptacle, chop holes on the wall studs, Figs. 13 and 14,



1. Locate the position of the ceiling light and chisel a hole in the plaster, making it run from joist to joist.



Make additional holes in the ceiling, one on each side of the joists which will be about 16 in. on center, as a rule.



3. At the corner between ceiling and wall chop away the plaster to form a continuous notch.



4. Strap-type fixture box now has BX run into it through knockout plug. Clamps hold wire tight.



Box is fitted in hole in ceiling and strap nailed to joists.Cable from box first is started through holes in ceiling.



Cable is pulled under the joists in notches cut in plaster, then up over top of ceiling, led to notch in wall.



Weight is tied on end of wire so it drops straight down inside wall to opening cut near floor.



8. Heavy staples are used to hold cable solidly against studs and joists so maximum of plaster can be applied.



9. Opening for switch box is marked, then cut with chisel. Check height from floor to switch by checking others in the house, perhaps changing.




10. Three-wire cable is led to switch to control light, power receptacle.

as on the ceiling joists, and run the cable to the box. The wiring diagram in Fig. 12 shows how the wires are run from the ceiling lamp to the switch-receptacle box, and to the existing receptacle to pick up current. All connections must be made inside the metal boxes. If the original receptacle box is too small to hold the added wires, replace it with a larger one. The alternate circuit in Fig. 12 shows the wiring when a receptacle is not used with the switch. Only two-wire cable is required with this circuit, rather than the three-wire with the receptacle. Wire used for these circuits should be no less than No. 14. Lighter-gauge wire could cause trouble, and national codes require at least 14-ga. wire for such circuits.


In the event there is no existing receptacle to which you can run wire to pick up current, and you do not need a receptacle, chop a slightly larger hole down near the baseboard so you can fit an electric drill in the opening. Drill down through the wall plate and run the wire to the basement, where you can connect into one of the basement circuits to pick up current. Also, should you be doing some fairly extensive remodeling, remove the baseboard, chop the notches in the plaster behind the baseboard, run the wire, then replace the baseboard. Be careful not to nail into the cable. This will save some finish plastering, but the notches and holes should be filled with rough plaster.


With the wiring done, start plastering the notches

and holes. Back up large openings with wadded-up newspaper or steel wool. Pack in the plaster, but keep it below the surface. When it has set thoroughly, do your finish plastering, smoothing the wet surface with a sponge. When it has set, sand smooth. Prime with shellac before painting the surfaces, or putting on wall-paper.




 If receptacle box is not located near to wall stud, use these metal clips to hold the box on the plaster.





13. Cable is led along the wall in the same manner as along ceiling, by chopping notches across the studs.



14. Long hook made from coathanger wire may be needed to pull wire through openings in wall to lead it to receptacle.

The ceiling lamp now is wired to the ceiling box and attached. Special fixtures, if required, will be packed with the lamp. Clean up the plaster and debris—best to clear the room before starting the job, or use drop cloths to protect the furnishings. Close doors to the room when possible, as plaster dust will get into everything. After the clean-up, do your painting or papering and the job is done.

Although it was not specifically stated in the article, we assume that any home owner will know that the fuse in the circuit must be removed, or the circuit breaker tripped, before any work is done.  $\triangle$   $\triangle$ 



15. Lamp fixture is temporarily tied to box; final connection is made and fixture attached after plaster has set.

### CURVED STAIRCASE


JACK DOWN



We must first state that the dimensions shown for this stairway will not necessarily fit all situations. For example, while the distance from A to B in the stairway shown is longer than from B to C, your situation might reverse this ratio. Also, the height from one floor to another may vary. Generally, when a room has an 8-ft. ceiling, the distance from one floor to another will be about 9 ft. This divides so that 16 risers of about 63/4 in. will fit. The treads and risers of an "ideal" stairway should have a total dimension of 17 in. This allows 7 in.

Views from above and below show how fabricated "stringers" were held with clamps while glue set. Rough "horses" or supports were spiked together, positioned under center of stringers.






for the riser, (vertical member), and 10 in. for the tread, (horizontal member). The average width of our tapered treads is 10 in., thus the risers should be approximately 7 in. We say approximately, because seldom, if ever, is a stairway built that has the "ideal" dimensions.

The first step for construction of the staircase was to make a scale drawing. From this drawing a "jig" was made on which the stringers were formed. We cut down a hickory tree on the property, dried it, then had it ripped and planed into 3/s-in. planks. For the average builder, %-in. plywood would be as good. Our strips were full length; with plywood it would be necessary to splice the lengths, using glue and ring-shank nails or drive screws with a scab about 2 ft. long. The strips can vary in width-depending on the unsupported lengthfrom 8 to 12 in. Using the horses as support, and securing the stringers at top and bottom with angles, we curved wide strips from top to bottom. Strips 11/2 in. wide then were glued and clamped to the wider strips. When the glue had set we glued on another full-width strip to each stringer. This was repeated for four full-width strips and three sets of narrow strips. Brackets were fabricated from steel flats to attach the inner stringer to the walls near the top and bottom for greater rigidity. The curved, fabricated stringers were quite rigid in themselves. The treads then were cut all the same size and the risers fabricated from steel flat. Note that some of the treads had to be shortened to fit. The rail for the stairway was bent from channel, using a hydraulic jack and the setup shown. The bar between the chain ends

Closeup view shows clearly the several laminations that were glued together to form flexible, curved stringers.



simply keeps the chain from sliding toward the jack. Posts for the rail are ¾-in. pipe. For the bases we cut 3-in. lengths of the rail channel and welded them to the pipes. Floor flanges would do as well. While it was originally determined that rods from the ceiling would be used for support, it was found that they were not needed. We did install one short pipe column under the outside stringer down to the floor. The stairway was steady with two men on it carrying a cast-iron bathtub. Again we must say, this stairway is a project done by one man. It will give you the general idea, and the problems to be encountered. Your stairway will have to be planned, engineered and tailor-made for your own situation.  $\triangle$ 



# BUTTERFLY TABLE



### RALPH TREVES

With its unusual wings that fold up, this table makes an interesting and challenging project on which a number of power tools can be used.

The table top itself is cut from 34-in. hardwood plywood, the edges banded with veneer tape. The leaves are cut from straight-grained hardwood to match the veneer. Note that a narrow groove is cut 2 in. from the edges of the table with a veining bit in a portable router. A diagonal runs from this veining to the table-top corners. The four leaves are cut from the hardwood, using a pattern made from an enlarged drawing of the squared pattern. A band saw or jig saw is used to cut out the leaves, and the hand openings require the use of a jig or saber saw. Unless you have facilities for brazing band saw blades, the band saw cannot be used for the hand openings, as the blade would have to be broken and then rejoined by brazing.

The four legs are 1%-in. square and 16½ in. long. Two sides are fluted, three of the corners are rounded. The fourth corner is chamfered, or beveled, to accept the ends of the stretchers. The latter are ½ x 1½-in. stock, (hardwood, as are the legs and rails), the length being determined by fitting between the legs when they are temporarily assembled with the rails. The stretchers are half-lapped at the center and the ends are cut at an angle of 73 degrees to meet the beveled faces of the legs.

The doweled joints of the rails,

TOP PATTERN
1" SQS.

HALF-LAP JOINT

BASE

16/2"

16/2"

16/2"

16/2"

16/2"

17/4"

17/4"

17/4"

18/8"

18/8"

17/4"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

18/8"

1


stretchers and legs are made, then the parts are assembled "dry" to check for fit. The dowel joints, incidentally, can be made most easily by the use of dowel jigs or dowel centers available from several of our advertisers. When the fit of the assembly has been found to be all right, glue is applied to all joints and the leg-rail-stretcher assembly is clamped together. Making the

assembly will require some juggling to get all parts and joints to align; an assistant would be of help for this operation.

While the glue is setting on the supporting assembly, start the finishing work on the top and leaves. Cut the center part of the top square and true, then apply veneer tape with contact adhesive. Trim and sand the tape as required.



Legs are fluted on two sides, three corners rounded, other corner beveled.



Legs, rails and stretcher must be glued up in one operation to make support assembly. This will require some juggling to align parts.





Table wing is 5 in. wide, shaped from pattern made from squared drawing. Cut with band or jig saw, round edges.


Take plenty of time and care on the finishing of the table. Sand every surface carefully. Apply stain, then resand with fine-grit paper to be sure of an absolutely smooth surface. Apply clear lacquer, allow it to dry thoroughly, then rub with pumice stone and rottenstone. Clean well, then apply another coat of lacquer. Repeat the operations until you have a deep, glowing finish that will last for years.  $\triangle$ 

Finger opening in wing requires drilling hole for insertion of jig saw blade, or saber saw. Band saw not practical.


The edges of the leaves must be rounded. A router with a curve-cut bit is ideal for this. Run the router along the edge on one side, then turn the leaves upside down and finish the rounding of the edge with the second pass.

Locate the hinges from the pattern and cut the mortises; use a wood chisel to square the mortises to accept the square-corner hinges. (Special "Butler-Tray Hinges are available from Christenson Hardware Mfg. Co., Caldwell, N. J. for \$3 a pair, in heavy brass.) Install the hinges on the top, then fasten the top to the leg assembly by driving screws up through the rails into the top. Fit the leaves to the top by attaching the hinges and the assembly is complete.





Router with special bit makes quick work of rounding edges of leaves uniformly; two passes are required.



Special spring-loaded hinges hold wings securely, flush with table top. Router will cut neat mortises for hinges



## "POP" RIVETOOL






To load rivet gun, long mandrel of rivet is fitted into gun. Rivet is fitted in hole, handles are squeezed.

As easy to operate as a pair of pliers, and with as many practical applications as a staple gun, this tool should be in every craftsman's tool kit. A slightly scaled-down version of an industrial unit we







tested a couple of years ago, the RiveTool is basically a device for "blind riveting". That is, for riveting from one side of a sheet of metal, wood, plastic, etc. Rivet lengths are 1/8, 1/4 and 1/2 in., providing a wide range of thicknesses that can be fastened. The rivet is formed as shown in the sketch at the bottom of the page; as the rivet is formed it pulls the two or more pieces of material tightly together and rivets them firmly. If the material is soft, such as fabric, plastic or plywood, small back-up plates are provided to prevent tearthrough.

In use, a rivet is fitted in the tool, long mandrel first. The handles are squeezed together like pliers, (even a woman can do it), the rivet is formed and the projecting mandrel is snapped off. Releasing the handles ejects the waste portion of the mandrel.

As we stated, there are so many uses for the tool we cannot list them all. New applications are being found every day, and every craftsman will discover more uses for his own work.


Quality of materials and workmanship in the RiveTool are excellent. Cost of the unit is reason-



Trafficator (turn indicator) on foreign car fell off; it took one minute and one rivet to replace it without disassembly.

able, and packages of rivets are also moderate in cost. We are proud to award the RiveTool our Shop-Tested Seal, knowing it to be a quality-built, inexpensive and absolutely practical tool that every craftsman will appreciate having in his tool collection.

RiveTool is made by Fastener Division, United Shoe Machinery Corp., Shelton, Conn., and is available from some of our mail-order advertisers and from hardware stores.  $\triangle$   $\triangle$ 





## **ONE-WHEEL CAMPING TRAILER**

## JAMES HYEK


Started just three weeks before vacation time, this trailer was designed to be quickly and simply built and to be lightweight for high-speed towing. It is built around a one-wheel trailer with a triangular frame. We purchased our frame-and-wheel assembly secondhand; should you purchase a new one we would suggest one with a square or rectangular frame as it would simplify construction.

First step is to block up the frame so it is perfectly level. Rotate the wheel a full 360 deg. to determine the required size of the wheel well. Allow an additional 3 in. all around to compensate for the flexing of the spring.


Make the bulkheads A, B, C, D, E and F from %-in. fir plywood, exterior grade. All bulkheads were cut to be 48 in. wide, to take full advantage of the width of a 4 x 8-ft. sheet of plywood. We were able to remove the front portions of the towing tongues, so cutouts were made in the bulkhead and it was slipped over the frame. It was positioned parallel to the "towing line" and fastened to the frame. Nuts and bolts were used, with mending angles for the attachment. The height of bulkheads D and E next was determined. Mending angles and nuts and bolts were used to attach them to the frame. The size of the front compartment

floor now was determined and it was cut to size and bolted in place. The floor of the center compartment also was cut to shape and fastened to the two low bulkheads.

Bulkhead B now is cut to size and fastened on the centerline of the trailer. Bulkhead C is made next and fastened in the position shown. Four 6-ft. lengths of 1 x 2 now are fitted in the notches in the various bulkheads to provide a secondary frame. The trailer will appear as in Fig. 1, with the addition of the floor for the rear compartment. Bulkhead F can be made in several pieces, or can be a duplicate of bulkhead A with the door cut out. Reinforce the edges of the cutout




1. Front bulkhead and all inner bulkheads, plus floors have been installed, as well as four 1 x 2 stringers.




2. Diagonal and vertical braces, cut from 1 x 2s have been installed here, as well as rear bulkhead with door.

3. Rear bulkhead with kitchen door can be made in several pieces, or it can be a duplicate of bulkhead A, the door being cut from it for replacement.

with 1 x 2s, allowing them to project slightly to provide a lip against which the door can close. Additional lengths of 1 x 2 are fitted in the trailer as indicated in Figs. 2 and 3. These strips both reinforce the trailer body and provide attachment surfaces for the sides. Sheets of 1/s-in. plywood measuring 3 x 6 ft. are used to cover the sides. Attach them with glue and screws. Make the cutouts for the side doors, saving the cutouts. The openings are framed with 1 x 2s, the cutouts are reinforced with 1 x 2s, then hinged in place.






The rear door, which becomes a mobile kitchen, is made by framing with 1 x 2s on edge and covering both sides with plywood. Set the 1 x 2s in so the door edge will fit against the framing of the opening. This hollow door now is fitted with flush-mounted tail, stop and turnindicator lights. After hinging the door, fit it with chains to hold it horizontal when open. The trailer top is built somewhat like an inverted mortar box. The sides are 6 x 72-in. strips of %-in. plywood. 1 x 2s are fitted along the top and bottom edges, then the strips are notched for 48-in. lengths of 1 x 2 that fit between the two sides. Temporarily clamp the sides to the trailer, then build the top in place. Cover it with 1/8-in. plywood. Hinge it to the trailer at the front with a piano hinge. Tack a strip of rubber over the hinge to make it watertight. Half-round molding is now attached around the lower edge of the top as a rain stop. The bed board, measuring 42 x 72 in. now is cut to fit over bulkheads B and C and on flanges attached to bulkheads A and F. Further support was provided by lengths of 1 x 2 attached to bulkheads A and F and notched into C. We used only one triangular support for the roof. It is hinged to the side and folds down over the bed when the top is lowered. The rear of the top is held by two large suitcase clamps. We use a small lean-to tent on one side and rear of the trailer, so the single triangular support was enough; you may wish two.

The kitchen compartment was finished with pull-out slides, drawers and shelves, along with a camping ice box and a camp stove. Four pipe flanges are fitted to the underside of the trailer at the corners and lengths of ½-in. pipe fitted with floor flanges are used to level up the trailer and hold it solid

at a camp site.  $\triangle$   $\triangle$ 



A, Auger Bit with fine-thread point, has square-taper shank for hand brace. B, Auger Bit with solid center, single twist; can have square-taper for brace or ½ in. and ½ in. machine shanks. C, Forstner Bit, with machine and square-taper shanks. D, Expansive Bit comes in two regular sizes. E, Electrician's Bit, about 18 in. over-all length. F, Ship Auger, coarse-thread point, square-taper shank. G, Gimlet Bit, available in range of sizes. H, Single-Cutter Bit with brad point. I, Wing, or Spade, Bit with brad point. J, Twist Bit for wood, similar to twist drill for metal. H, I and J all have ¼ in. shanks.

## **ALL ABOUT WOOD BITS**


Boring a hole with a wood-boring bit is such a common operation that nobody thinks much about proper use and care of the tool until it gets rusty, won't cut and won't clear chips. Then all you can do is replace the bit with a new one.

Properly used, a wood bit will last half a lifetime and more, and bore accurate holes. Unless, of course, you hit a nail or drop it point-down on a concrete floor. Cer-

tain damage will result also if you toss several wood bits loosely in a drawer with other tools with no provision to protect the cutting ends. Sets of bits usually are furnished with a box or plastic container with pockets, but if you don't have a complete set, there are ways of protecting the bits from damage.

Fig. 1 shows 10 common types of wood bits. A through G are designed primarily for use with a


brace, although several are supplied with round shanks for use in a portable drill or a drill press. H through J are designed especially for use in portable drills. These 10 bits do not include all the types available, but are those most commonly used by craftsmen. A possible exception is the ship auger—sometimes called a car bit, although there is a slight difference between the two—which originally was used by shipwrights




for boring deep, true holes in hardwood. It is a single-spiral twist and is long, about 18 in. in common sizes, and cuts fast. The electrician's bit, E, is often used by craftsmen where it is necessary to bore holes deeper than possible with bits of standard lengths. It too, has a very long shank, averaging 18 in.

The common auger bit is available in single and double-twist types, and also in single-twist, solid-center type, B in Fig. 1, for use in drill press or portable drill. The latter type is available with a straight shank and a brad point.

Auger bits for use in a hand brace are available with fine, medium and coarse-pitched screw points for slow, medium and fast boring. The fine point draws the bit slowly into





the wood, the medium is slightly faster and the coarse point gives a relatively fast advance in softer woods. In most work the fine-pitched screw point is best.

The Forstner bit, C in Fig. 1,

The Forstner bit, C in Fig. 1, differs from most others in that the spur is continuous except at the chip opening just ahead of the cutting edge. It bores slowly and cleanly, is accurate and will not drift with the grain. It can be used to bore any segment of a full diameter at the edge, and is easily started freehand at any but the steepest angles. It is widely used for boring screw pockets at an angle on the inside faces of table rails. It is available with a squared tang or a round shank.

The gimlet bit is still widely used, G, many craftsmen preferring it for boring holes for screws. It's fast, quite accurate and does not tend to drift in deep holes.


The expansive bit, D, usually comes in two sizes. All types have a screw point, a fixed cutter and two moveable cutters with spurs. The moveable cutter can be moved relative to the axis of the bit to vary size of the holes.

Power bits are designed for use with high-speed portable drills. The single-cutter bit with spur and brad point, H, bores an exceptionally clean, true hole. The wing, or spade, bit, I, is equally fast but not as clean-boring. On most types the wings serve as cutters. Lacking spurs it shows less tendency to heat in stubborn woods, but may tend to clog in damp or resinous woods. especially in deeper holes. In such work you'll have to ease up and withdraw the bit frequently to prevent clogging and burning of the wood. The power twist drill, J, is similar to the twist drill for metals, bores fast and clean in hardwoods, but is not so suitable for very soft woods. It tends to drift in deep holes





Here's the way to add amazing new beauty and convenience to your home. Replace that troublesome wood door with a modern Bilco. All steel, permanent, watertight, opens and closes at a touch. A new Bilco Door will do wonders for your home . . . and for you!



AMERICA'S FINEST BASEMENT DOOR


The Bilco Co., Dept. R-87
New Haven 5, Conn.

Please send me your fully illustrated folder and name of local dealer.

Name.

Address

ity\_\_\_\_State





## DAP® PRESSURIZED RAPID-ACTION **BUTYL-FLEX®**

Butyl rubber base makes your caulk job outlast the best paint job. Easy to apply from cartridge or new pressurized can to seal

exterior cracks, joints around windows, patio doors, flashings. Sold at leading hardware, paint and building supply stores.

DAP INC., DEPT. WB, DAYTON 31, OHIO SUBSIDIARY OF Plough Inc.



Gun Cabinet Series, 10 plans for gun cab nets and gun racks. From 1 to 12 guns.

Early American Series. Bedside Table. Sp. Bathroom Managine Co.

Spice Cabinet, Sewing Cobinet.
Corner Shelf: Spoonholder and Plo Colonial Washstand. Octogen End Table. Cobblers Bench.

Colonial Series.
Colonial Series.
Colonial Series. Grandmother Clo Sewing Chest. Colonial Crodle. Buffet Base.

Butter Base. Spice Cabinet Series. 10 differently designed Spice Cabinets. Wall Shelf Series. 10 differently designed Wall Shelves.

To differently designed of an above.

Teach Bog Series. (20 Plost)

Bookcases.

Book Shelf.

Ieleohone Shelf.

Z Mogazine Racks.

Planter.

Workbench.

Record Cabinet.

Record Holder.

Pipe Rack:

Foot Stool.

Detailed plans with "exploded" easy-to-follow drawings. Individually printed on heavy paper. ONLY \$1 per series ALL 6 series ONLY \$5 (postpoid)

> COLONIAL WORKSHOP P. O. Box 377-W, West Sacramento, Calif.

## It's New

Magazine of **New Products** & Services


Fascinating! Illustrates & Describes thousands of new things from all over world. Gadgets, novelties, gifts, timesavers, household & office things. Money savers, money makers, toys, auto field, tools, hobbies, photo, records, books, clothes, drugs, mevies, travel Ideas, useful personal news plus advance Information, facts, etc. Description, appraisal, source, price. Beautifully printed. Fun to read. Valuable for men, women, students, schools, officers, experimenters, shops, hobbyists, etc. Be first to know What's new each month. Special: 12 Issues \$2.00. (Value \$4.20). Includes Xmas issue in Sept.; new gifts, new logs! Cancel anytime for refund. IT'S NEW, Dept. 106, St. Clair Shores, Mich. Fascinating! Illustrates & Describs thousands of



Patterns for this "4 seater"
LAWN SWING, also Novel PICNIC
TABLE which quickly converts
into a comfortable LAWN
BENCH, Both fold flat and are
easily made. Only \$1.25.

Mastercraft Plans, Dept. 7228 7041 Olcott Ave., Chicago 60631







in woods with adverse grain, but still is of wide application in the home shop where you have need to drill duplicate holes fast.

All common wood boring bits are highly finished, and the main problem in care is to prevent them from rusting, and to prevent nicking or other damage to cutting parts. Figs. 2 and 3 detail simple practices that will keep bits in good condition. When you finish using a bit, place a few drops of oil on a piece of tissue, fold it and run the tissue down the flutes, oiling all parts. Discard the tissue after using. Or, saturate a clean cloth with fairly heavy oil, and after using, place in a screw-top glass jar. If your wood bits must be stored loosely, then cut short lengths from square or round stock, bore a hole in the end of the block with the bit to be stored and, after oiling the bit, turn it into the hole in the block, Fig. 3. This protects the business end of the bit from damage. As a final hint in bit

storage, drill spaced 1/4-in. holes in a block of hardwood and drop the shanks of power bits into the holes. This is safe, handy storage.

After long use and no other damage the head of a wood-boring bit, Fig. 5, requires sharpening. On auger bits with spurs this is best done with a special auger file, filing the cutting edges as in Fig. 4 and the lips as in Fig. 5. You proceed in much the same way in sharpening a Forstner bit, the expansive bit, the ship auger and the two power bits, H and I, Fig. 1. The electrician's bit and twist bit, E and J in Fig. 1, are sharpened by grinding lightly on a fine wheel. All sharpening operations require care not to overdo filing and not to alter the original shape of the parts. Don't permit a bit to become dulled to the point where it no longer works satisfactorily; touch up the cutting edges regularly, but never oftener than needed.





When drilling with an auger bit, first awl-punch the hole location, Fig. 7. This provides a small hole for insertion of the screw point and gets you off to a good start. And, if you are using the twist bit, J, Fig. 1, you can get an accurate start by first drilling with a small diameter twist drill of the type used to drill metal. This will aid in starting the twist bit and hold it true through the wood.

Fig. 8 shows one way to start and bore a hole at an angle. Set the T-bevel blade at the required angle, awl-punch the hole center, then use the bevel blade as a guide to hold the bit true. An even more accurate method is to use a guide, as in Fig. 11. Use a block of hardwood for the guide. Drill the guide holes accu-





rately, using a drill press where possible. Often you can cut a Vnotch in stock to aid in starting a bit at a steep angle, Fig. 10. This is effective where the notch will not be exposed in the finished work. Figs. 12 and 13 show how to prevent stock splintering when the bit breaks through. Bore until the screw point just breaks through, then invert the stock and drill from the opposite side. When using a large expansive bit, clamp scrap stock on each side of the work, then drill straight through.

When enlarging a hole with an auger bit, Fig. 9, drill the hole first in a block for a guide, then locate it over the hole to be enlarged. It will guide it straight; in this situation the lead screw has no stock into which it can pull.

Fig. 6 shows the head parts of a common auger bit. △ △



"Lucky we own a dog . . . I didn't notice that the patio plans were scaled one quarter inch to the foot."



## George did it himself!

ming pool till George got the Spartan Pool Kit Booklet. He decided he could tackle the job himself. It was even easier than he thought. We all love it! So big-16 feet wide and 32 feet long. The complete Spartan Kit only cost \$1,495. A real estate agent told us the pool added more than \$3,000 value to our property."

You can do it, too. Write for our new 12-page Spartan Pool Booklet. It tells you exactly how to put in a Spartan Pool with "erector set" ease. It explains how galvanized steel panels, that'll never

"I never thought we'd ever have our own swim- make permanent sidewalls ... why the heavy-duty vinyl interior never needs painting or reconditioning, ever. You'll see how simple it is to hook up filter, skimmer, fittings. Hundreds of "do-it-yourselfers" buy Spartan Pool Kits every year. No money down, five years to pay. Write for free 12-page Spartan Booklet, and our dealer's name in your area (if you wish, he'll install your pool).



Dept. WB-5 MAJOR POOL EQUIPMENT CORP. 60 Jacobus Ave... So. Kearny, N.J.

## rust or corrode, are simply bolted together to MAKE THESE IN YOUR WORKSHOP



Absolutely Sate! IMPOSSIBLE TO GRAB OR KICK BACK!

Save time, save money . . . make picture frames, drawer fronts, panels, tapered legs, rosettes, in hundreds of variations! Two models available for drill press or radial arm saw. Planes parallel with micrometer precision producing a satin smooth surface. Units include 3 lifetime hi-speed steel cutters, grinding wheel, arbor, wrench and complete photo instructions. Thousands in use! Money back guarantee. back guarantee.

Write for FREE Detailed Literature GILMORF PATTERN WORKS - 1164-G NO. UTICA - TULSA 10. OKLA.

## ON DRILL PRESS OR RADIAL ARM SAW



MODEL DP-1: For drill press or multi-purpose tool with 1/2" chuck.



MODEL RS-1: For all radial arm saws with 1/2" to 1" diameter saw shafts.

\$1175 Complete Unit Postpaid in U.S. \$14.95 (Outside U.S., add 50c)

GILMORE PATTERN WORKS 1164-G No. Utica-Tulsa 10, Okla. Please send me the Wagner Safe- T-Planer as checked. Enclosed is Check Money Order, ship post- paid. Ship C.O.D., plus postal charges. Name	☐ Model DP-1 ☐ Model RS- ☐ Send FREI Literature.
AddressState	



## The Book That Answers Your Mold Questions


- Revised, Fifth Edition

- Large, Clear Pictures
  Printed in two colors throughout
  Analysis of the ornamental concrete business
- Valuable information for both the Beginner and the experienced
- Complete "From-Start-To-Finish" instructions (42 pages) Catalogs over 300 CMC Aluminum Molds

Yours For \$2.00

Concrete Machinery, Box 99, Hickory 5, N. C.

## **PLANER** MOLDER SAW!



Now you can use this ONE power feed shop to turn rough lumber into high-value moldings, trim, flooring, furniture . . . ALL popular pat-

RIP . . . PLANE . . . MOLD . . . separately or all at once by power feed ... with a one horse-power motor. Use 3 to 5 HP for high speed commercial output.

LOW COST ... You can own this MONEY MAKING C POWER TOOL for only . . . . . . .

down payment

Send coupon today

## BELSAW POWER TOOLS

965 Field Bldg., Kansas City 11, Missouri Send me complete facts on the MULTI-DUTY Power Tool. No abligation.


	m	


Address

City

State

## **Candle Holders**







From the lathe of Claude R. Mowry come the spherical candle holders, turned as one piece with the bases. After turning, the tops are drilled out to accept candle cups or eyelets, (available from our advertisers who sell supplies and tools for the home craftsman). While a size of 5 in. is shown for the diameter of the spheres, this can be made greater or smaller according to personal preference. In any case, rough the spheres to shape, then

Slender and graceful, with a modern flair, these candle holders are turned from split-free discarded bowling pins. Unusual candles can be used in these unusual holders. They are 5-in. spheres turned with supporting bases.

use a template cut from hardboard or plywood to check the trueness of the spheres. The template is made by striking off a half circle with a compass, then carefully cutting it out with a bandsaw, jig or coping saw. After turning to shape and size, including the base, sand smooth and apply a finish while the stock is still in the lathe. Finally, drill the top of the sphere to accept the candle cup. It can be made a force fit or glued in place with an epoxy-resin adhesive.

While bowling is a fine recreation, Colonel Ray M. Munger, (USA-Ret.), finds the game an excellent source for top-quality turning blocks. He collects damaged pins that are discarded by bowling alleys, checks each one carefully to make sure it is not split, then makes beautiful turnings such as these graceful, slender candle holders. It might be a little tricky to drill the hole for the candle after the turning is finished, so we would suggest squaring off the block end and drilling the hole first. A plug can be inserted in the drilled hole to permit turning the block between centers. Because the holders are quite tall we also suggest hollowing out the bottoms and fitting in a lead weight. Over the metal cement a felt pad.  $\triangle \triangle$ 





1/2" SQS

TOUGH - YET STRETCHES 100% Applies like paint. for all surfaces

WOOD METAL MASONRY CANVAS



PUTS AN END TO YOUR PAINT AND SURFACE COATING PROBLEMS Resists salt, acid, rust and rot









Now, modern chemistry offers you the best watertight, weatherproof and elastic finish yet produced. Applied like paint . . . brush it or roll it. Forms a tough skin that will not crack, peel or chip in 250° heat or 50° cold. Even a wallop will dent rather than shatter it. Cuts refinishing costs to 80%. Goes over old paints. Lasts up to 10 years. Used by U. S. Navy and Army, thousands of delighted home owners, boat owners, factories, etc. Available in plasticlear and 12 colors. Money back guarantee. Low factory prices. \$4.95 per quart—\$17.50 per gallon, ppd. SAV-COTE CHEMICAL LABS, INC., P. O. Box 2128-WB, Alexandria, Virginia

On West Coast write SAV-COTE of Calif., P. O. Box 78562-WB, Los Angeles, Calif. 

## CHANGING YOUR ADDRESS?

ALLOW 8 WEEKS FOR CHANGE

Remove the label from your latest copy of WORKBENCH MAGAZINE and attach HERE

Fill in your new address HERE

NAME **ADDRESS** 

CITY

PUTS YOU IN

BUSINESS

Cut out and mail this COMPLETE coupon to:

WORKBENCH MAGAZINE / 543 Westport Road / Kansas City, Mo. / 64111

Jorgensen

Pony



hold your work These and many other designs de-scribed in literature sent FREE upon





the clamp folks

ADJUSTABLE CLAMP CO. 415 N. Ashland . Chicago 22, III.



### THE BARCO ROUND SANDER

Attach a strip of sandpaper to The Barco Flexible Belt. connect to your 1/4" drill, and sand chair rungs, dowels, railings, or any straight or tapered ROUND object up to 2½/" dia. Extremely simple design, rungsedly built of nylon, bronze, neoprene & steel to give years of trouble free service. 3/4" back & forth action is ideal for finishing work. \$3.95 pod. Prompt Shipments. Satis. Guaranteed.

L. BAHR CO. BOX 246, Vienna 3, Ohio

## WE SHIP COAST TO COAST NAME BRAND TOOLS SILVO HARDWARE CO.



Start your own business, sell tools to your friends and neighbors, or buy tools for your own use and SAVE MONEY \$5\$
A WAREHOUSE INVENTORY AT YOUR FINGERTIPS. NO STOCK TO CARRY. ORDER AS YOU NEED IT. Send \$1 for Tool Catalog today.
BUY AT REASONABLE PRICES. Extra BUY AT REASONABLE PRICES.

\$25.00 profit on your accumulated pur-chases. \$1.00 refund on first purchase or refund if you're not 100% satisfied with

our offer.
THOUSANDS!! of Nationally Advertised items of Hand Tools, Power Tools, Machinist Tools, Tool Chests, Paint Sprayers, Light Fixtures, Appliances, Guns, Gifts, Toys and other items too numerous to mention.

NEWELL WORKSHOP, Dept. WB 19 Blaine Ave., Hinsdale, Ill.



HOME STUDY COURSES FOR PROFIT OR HOBBY!


Invest your spare time developing your creative abilities. Excellent opportunities for extra mover, full time business or just having fun. = DOL, MARING, FREPARING = DRESSAMING = FLOWER ARRANGING = GARDEN DESIGN/LANDSCAPING. Select the course most interesting to you. We'll send complete information FREE.



NORM AND LIFETIME CAREER SCHOOLS
11822 San Vicente Blvd., Lot Angeles, Calif. 80049 - Studia WB-74

## FURNITURE EIGHT MATCHED PIECES





**Home Training Course** 

**Now Available** 

Today-it's easy to acquire the skills and craftsmanship of fine woodworking and cabinetmaking with Interstate's complete "shop method" course. Prepared by expert instructors, the course consists of 22 profusely illustrated training manuals containing detailed instruction covering all phases of woodworking, including selection of woods, planning and laying out projects, correct use and care of all hand and power tools, joint making, cutting, assembling, finishing, simple upholstery, etc. Tested learn-by-doing instruction projects give work bench training and experience in actual construction. Course is ap-

### INTERSTATE TRAINING SERVICE

proved for beginners and profes-

Portland 12, Oregon

sionals alike.

Accredited School, National Home Study Council.



	Send Post	Card	Today fo
1.	FREE	BO	OKLET
	INTERSTATE	TRAININ	G SERVICE

Please send free booklet on your complete Craft Career course in Woodworking and Cabinetmaking.

Dept. F-7, Portland 12, Oregon

Cubinetinakiii

Addres

ity Zone State


## **ELECTRONICS**

## in Home and Shop

Electronics have become more and more a part of everyday life. One of the big reasons is the miniaturization of many devices that once were just too big and bulky to be considered for installation in a home.

The heart of most of the devices that control electric power in a home is the "Silicon-Controlled Rectifier," (SCR), shown in Fig. 1 with a cigarette to show its relative size. Devices which use the SCR are called "solid-state power controls." The term is rather broad. as such control may be accomplished in several ways. Fundamentally it is control of electric power with devices similar to transistors that have no moving parts. and a long life expectancy. Solidstate control is done with very little power loss, thus the control device can be quite small, as is the SCR.

Light dimmers are not new, having been used in theaters for years. The older types, however, consisted of a rheostat that simply consumed the power not used by the bulbs. Such rheostats had to be quite large, and located where they were cooled by natural or forced-air circulation. Later, variable transformers were used to vary voltage. They did a good job, with little loss of power, but a unit to handle just three 150-watt bulbs was about 5 in in diameter and about 4½ in. deep. The SCR and other solid-state devices now permit units that are small enough, and inexpensive enough to be used by the average



1. Heart of most devices that control amount of electric power is tiny Silicon-Controlled Rectifier, (SCR).

home owner. They also are simple to install. Figs. 2 and 3, and 4 and 5 show two types of light dimmers that can be installed in place of an ordinary switch. Caution: Do not use such dimmers for anything but incandescent lamps. Using such dimmers for fluorescent lamps, or where replacing switches that control wall sockets into which TV sets

2. PC6-1 fits in single wall box, has cover that is attractive and will blend with the decor of any room in home.



4. Somewhat larger than the PC6-1, requiring a double receptacle box, is the PC-10 1/M light control.

or appliances might be connected can cause damage to the dimmer and to the appliance.

Where a light is to be controlled from a table or night stand, the DM 805, Fig. 6, is ideal. This unit has a plug and socket attached, with an in-line switch. You simply plug the unit into the wall socket and plug the lamp into the unit.


Solid-state motor controls are now



5. Back of PC-10 1/M shows that it too has only two wires that are hooked into circuit the same as replaced switch.




6. Where wall-mounted dimmer switch is not practical, or control must be near bed, SECO DM 805 is used.



7. Some newer tools, such as this Disston 3/8-in. drill motor, have variable control built right into the unit.

being incorporated in power tools, as in the drill in Fig. 7. The drill can be run slow for boring in concrete, fast for wood, medium for steel. For older tools you can purchase a motor control, as shown in Fig. 8. There are three types of electric motors: AC/DC, also called universal; AC only; DC only. Solidstate motor controls are intended to be used on AC/DC universal motors only. If you are in doubt about a motor, check the name plate. Soldering irons can be controlled with solid-state units, but soldering guns should not.

Solid-state controls eventually will be used for such jobs as low-loss, continuous-heat controls for electric ranges, and for varying the speed of motors used in automatic washing machines, thus replacing some of the expensive and complicated gearing now used.  $\triangle$   $\triangle$ 



8. Tools not fitted with variable control can be plugged into unit such as SECO Vari-Volt to provide speed control.

## DADO SAWING WASHERS



Clean, Accurate, Parallel Grooves on your present Circular Saw Blade. Just Dial the width desired. No burning—no chewing—cuts do not need sanding. Leave on saw for straight cuts — actually strengthens saw. Fits 1/2" & 5/6" arbors. DADO SAWING WASH-ERS....only \$4.95 ppd.

### WEB CLAMPS

Indispensable for cabinet work, repairing furniture, etc. Ideal for holding work of any shape and almost any size. Equipped with 12 ft. of heavy 600 lb. break strength nylon webbing. Design prevents marring of work surfaces; eliminates padding. Ratchet action; pressure is obtained by tightening with 9/16" wrench; easy, quick release. Web Clamp—\$3.95 ppd.



### **HOME CRAFTSMAN CATALOG**

Send 15c for Catalog of Lamp Parts, Chair Cane, Finishing Materials, Swiss Musical Move-ments, Wood & Metal Legs, Lazy Susan Bearings, Watco Danish Oil Finish, Ball Casters, Desk Pens, Pepper Mill Parts, Veneers, Drawer Slides, etc.

## BARAP SPECIALTIES

DEPT. W-74, P.O. BOX 2044 CHICAGO, ILLINOIS 60609



out and paint. Send \$1.

MASTERCRAFT PLANS, Dept. 72B



N. Y. publisher wants books on all subjects, fiction, nonfiction. No fee for professional opinion. FREE: Brochures that show how your book can be published, publicized, sold; tips and article reprints on writing, publishing, contracts. Write Dept. 343-G.

EXPOSITION 386 PARK AVE. SO., N. Y. 16



spare time selling a few stores. Later bake all day. A user did \$61.000 lnst year. Send for FREE RECIPES. Bake this better donut in oven and serve some friends. They will say this is way to make money.

A. Ray Co., 3605 S. 15th Ave., Minneapolis 7, Minn.

Moving??? Take your Workbench subscription with you. Allow 8 weeks after sending the LABEL from your latest copy AND your new address to

#### WORKBENCH MAGAZINE

543 Westport Rd., Kansas City, Missouri 64111



HIGH-CAPACITY! New Speedy Sprayer— "Jet-330" ¼ h.p. Outfit. Built-in motor. 25% more power! Plug in and spray. Only \$69.50. Others from \$39.95. Slightly higher Denver West.

Write for "How To Spray" Booklet and Catalog.
W. R. BROWN CORPORATION Specialists in Portable Sprayers Since 1921 2701 N. Normandy Avenue, Chicago, III. 60635

at a fraction of usual cost

FIXTURE KITS - DIRECT FROM MAKER

Beautiful bright aluminum construction. Provide superior lighting at lowest cost to you. Include all parts & Complete instructions. Use standard lamps. Satisfaction guaranteed.





LATEST RAPID START

48 in. Workshop model. 2 lamp 40 watt. No starters. Light equals 4 - 100 w. bulbs! Only \$8.95 without lamps. Include postage: \$1.00 East, or \$1.75 west of Mississippi.

CONVENIENT PLUG-IN

19 inch long 15 watt. Use under cabinets, over counters & sinks. Has 6 ft cord & plug. Only \$22.59. Add 95c for 7500 hour lamp. Include 65c postage.

10c brings fluorescent lighting Catalog. Includes 6 to 48 inch kits & fixtures for home, shop & plant growth.

SHOPLITE CO.

650 B Franklin Ave.,


Nutley 10, N. J.



BIGGER, BETTER THAN A MINI-BIKE

Convert old bicycle frame for as little as \$4.95, plus small welding job. Step-by-step PLANS, photos show you how. PLANS,





Type P Pump has 1,001 uses, Stainless shirt. Won't rust of cloud. Use 1/6 HP motor of control of the property of the property



## WORKBENCH

## Research Department

Each issue in this column we will choose questions on home and shop subjects from letters sent to us. Only those questions which have wide appeal will be answered here. Questions on specialized subjects will be answered by individual letter from the Research Editor's Desk.

Do you know of a machine or tool that could be operated by one man to raise 4 x 8-ft. sheets of plasterboard for installation on ceilings? J. F. F., Long Island, N. Y.



Yes, there are at least two such units made. Check with your local building-materials dealer. If he does not stock the item he will know where to get it. It is quite possible he can give you a better price than you would get by contacting the manufacturer directly.

Would appreciate advice on painting the cedar siding on a cottage I am building in Northern Minnesota. Is there value in treating the reverse side of the siding before applying? Considering future weathering and repainting problems, is regular oil paint or some other type the best? Is it right that a second coat be put on the next day and a third coat the following summer? Is there value in painting the ends of the boards as I apply them? O. A. E., Nebraska.

Answering your questions in order:

1. Yes, unless you plan to use insulation with a vapor barrier.

2. Any house paint can be used on cedar siding, but you should apply a prepared undercoater as the first coat.

3. We do not understand this guestion. We know of no paint manufacturer who recommends applying a second coat the following day.

You always are instructed to allow plenty of drying time between coats. Overnight can hardly be considered sufficient drying time, under average conditions. Neither do we understand what you mean by "applying a third coat the next summer". This can be applied any time after the second coat is dry.

4. Yes, as a preventive to checking, although cedar siding does not ordinarily check, or split, at the ends under average weather conditions.

When we bought our home five years ago it had no rain gutters or downspouts. By the time we did install them the white asbestossiding shingles had become dis-colored in some areas. Can we clean off the discoloration or must we paint the shingles? W. W. H., Bridgeton, N. J.

Yes, you can scrub the discolored shingles with a trisodium-phosphate solution, but we hesitate to suggest such a procedure as it is a tedious and rather messy job. If you decide to do it, use a trisodium solution of about a tablespoon to a gallon of water. Apply with a scrub brush or sponge, then hose the area immediately to remove all traces of solution. Wear rubber gloves and protect your eyes from splatter.

Have built a number of pieces of furniture and upholster them with foam rubber. Cannot locally obtain polyurethane foam, which I understand is longer-lasting, and more resistant to heat and light than foam rubber. Do you have a source? G. L. S., Laramie, Wyoming

It is true that polyurethane foam is longer-lasting than foam rubber, being more inert, and not as readily effected by light and heat. It also is true that local sources do not generally carry all sizes and thicknesses of material. We suggest you write to: Foam Village, Westford, Mass., 01886, and ask for their free catalog. They list a great variety of thicknesses and sizes of foam rubber and urethane, and can fill almost any request.

I have an old planer from which the nameplate has been lost. I need new knives, but do not know how, or from whom, to order them. The knives are 12-in blades, and have a date 1926 stamped on them, as well as the name Atkins. J. D., Lansing, Mich.

Knives for your planer, or surfacer, are obtainable from Woodworkers' Tool Works, 222 S. Jefferson St., Chicago 6, Ill. Just give them the necessary information such as length, thickness and manner of fastening in the planer head. Also, whether the planer head is square or the round type.

What kind of solvent can I use to loosen parts that have been glued together with waterproof glue. I want to loosen the joints without damaging the varnish around the joint area.

S. S. Z., Medina, New York.

We are sorry, but we can't tell you, as waterproof glues vary in ingredients. Write the manufacturer of the glue you used. He will know its content and can suggest a solvent. However, it is very doubtful if the glue can be softened without damaging the varnish.

We bought an old farmhouse and are stripping it to the original framework, which is assembled with wooden pins and hand-hewn timbers. The floor joists on the first floor have dry rot and must be replaced. What kind of lumber should we use for these beams, and also what kind for the joists in the second floor? The floors are pine boards about 20 in. wide and 1½ in. thick, which we intend to take up, refinish and reinstall.

A. S. C., Syracuse, New York.

Unfortunately you do not tell us whether you intend to duplicate the originals which probably were hand-hewn from oak or elm, the latter wood less commonly used. If you do intend to duplicate the originals, then, of course, this is a job for a local craftsman. Otherwise you can use stock joists such as would be supplied by your local lumber dealer.

You can purchase old timbers salvaged from homes that have been wrecked in some parts of the East. There are a number of dealers in these materials. One dealer who lists, among other salvage, hand-hewn beams for floors and ceilings, is I. M. Wiese, RR #3, Southbury, Conn. Of course, due to relative scarcity, such salvage will be comparatively expensive.

Can I paint my stucco house? It appears that there are chips of granite or other stone in the stucco and I am wondering if paint will stick to them. Also, how should I clean the stucco before painting? The material is at least 40 years old, but in good shape, just dirty. L. A. T., Aurora, Ill.

Painting stucco is no problem if the surface is still in good condition. Simply wash it down to remove dirt and other debris and then apply a masonry paint made especially for the purpose. Such paints are available from your local paint dealer or from mail-order houses.

I'm looking for a source for lefthand taps and dies. There is no local source for these tools; could you give me the name and address of a company that could supply them? K. E., Denver, Colo.

Write to the Greenfield Tap and Die Corp., Greenfield, Mass., for information on where to buy left-hand taps and dies. They do not sell direct to you, but they can direct you to a dealer who can supply you with the tools.

Please advise the best way to remove grease spots from the terrazzo tile floor in our kitchen. Is there a commercial product on the market for this purpose?

F. H. S., Florida.



If you are sure the discoloration is due to grease alone, then it should yield to a fairly strong solution of any household cleaner. Or, make a cleaning solution by mixing trisodium phosphate in the proportion of a tablespoonful to a gallon of water. Do not put your hands in a strong trisodium solution; wear rubber gloves and protect your eyes from spatters.

## **HOW TO FINISH WOOD**



obtain professional finish on interior and exterior natural wood. Floors, wall paneling, antiques, boats, many more. Only 25 cents p.p. Send coin today.

## McCLOSKEY VARNISH CO.

DEPT. W7, 7600 STATE RD., PHILADELPHIA 36, PA.

## MAKE TO \$500 AN HOUR AT HOME

I'll show you how Plastic Sealing and Laminating at home, spare time, can give you as much as \$5.00 each hour you operate. Table-top machine sets up anywhere. Easy, Fan. No experience needed, We furnish everything. We'll even help finance you. No house-to-house selling. Orders come by mail. Write for facts FREE. No salesman will call.

WARNER ELECTRIC, 1512 Jarvis, Dept. L-6-HH, Chicago 26, III.

## ELECTRIC ARC WELDER \$14.95!

MAKE — REPAIR MOST ANYTHING MADE OF METAL!



EE-10 day money back trial! Works on 110 voll plug in 10 ways. WeLDS, BRAZES, SOL DERS, CUTS, MELTS most A L L metals! HEATS, SOFTENS LOOSENS, THANS BENDS, most ANY HING. COMPLETE

face mask, clamps, are torch, rod helder cables—and supply of welding, brazing carbon, solder rods, flux and ARC WELDING INSTRUCTION BOOK—Tells w. YOU can use for CARS—HOME—FARM SHOP CARS—HOME—FARM SHOP CARS—HOME—FARM SHOP CARS—NEDEDED SEND ONLY \$2 cash, ck, M.O. und ray postman \$12,95 plus COD postage of

NEED NOT SHEET STATES OF SHEET WELDER FOR THE MONEY OF PF del. in USA, BEST WELDER FOR THE MONEY IN THE WORLD, PREE: EXTRA "Helpers" dark gogeles if you order from this ad. Sold ONLY by MIDWAY WELDER, Dept. DW-7, Rearney, Nebraska.

## SEPTIC TANK PROBLEMS??

Problems with your cesspool or drainfield system? TRI-SEPTIC will eliminate them. Exclusive formula of selected bacteria and enzymes digests grease; clears your entire sewage system; eliminates backup and pumping. Our strong guarantee allows you to use for 3 months and if unsatisfied, return remainder for full refund. You can't lose. Buy the best . . TRI-SEPTIC. 6 month supply, \$3.98; 12 month, \$6.98 postpaid. Free to new customers, scarce new KENNEDY Half Dollar with your order. Detailed brochure free. Write: Oxboro Heath Co., P.O. Box 7097 WB, Highland Station, Minneapolis, Minnesota 55411.

GREAT

## UNFINISHER!

## **Kut-Kote NO FLAME** REMOVER




For heavy duty removing jobs on fine woods or other surfaces, Kut-Kote NO FLAME is the finest, fastest stripper known. Guaranteed the best you've ever used or money back. Cuts through heaviest paints, varnishes, enamels in minutes, requires no neutralizer or rinsing. No-Flame is safe on any surface. Won't raise grain, stain or corrode metal. Can't burn or explode. Best all around remover you can use.
Ask your dealer, or send 50c for liberal size trial can, and money saving certificate.

Dept. WB

## JAMES B. DAY & COMPANY

1872 Clybourn Ave. Chicago 14, III.

PARKS 12" THICKNESS PLANER



MORE THAN 40,000 IN USE ALL OVER THE WORLD

The PARKS No. 95 sturdy thickness planer that offers mill planer precision and ruggedness at a sensationally low price! Write for complete descriptive literature on the No. 95 Planer, as well as on PARKS wood-and metal-cutting Band Saws; Radial Saws; Planer-Jointer Combination Machines; horizontal and vertical, manual and automatic Panel Saws.

THE PARKS WOODWORKING MACHINE CO.
Dept. WB. 1546 Knowlton St., Cincinnati, Ohio 45223
Manufacturers of Quality Woodworking Machines Since 1887

Use Appliance Motors in the Workshop!



Now you can take end-mounted motors (major appliance type) and use them with your power tools. It's economical and easy with a sturdy LEWACO Heavy-Duty Motor Mount. Only \$1.75 ppd. Order from: LEWACO, Dept. W-305, 4058 Oregon Avenue North, Minneapolis, Minnesota 55427.





## WIRECRAFT

Incredible things you can make from coat hangers—wire products that are useful, needed and saleable . . .dozens of newly invented articles anyone can make without special tools. Easy, interesting and profitable. All instructions, drawings. and pictures in new Mechanicraft manual \$1.00 ppd.

JOSEPH AHLERS & CO. Box 24032, Cincinnati 24, Ohio

Several years ago I built a brick patio at the rear of our home. Most of the patio is in the shade of a large oak tree. My problem is that a dark green and a brownish growth has appeared on the bricks which I cannot seem to eliminate. I have tried detergent and muriatic acid, but the growth comes back. Is there some chemical I could use? E. L. T., Decatur, Georgia.



It is most difficult to control moss growth on any form of masonry. There are chemicals, but we cannot recommend their use in or about the home because of the hazards involved. It is just possible that you could trim the oak tree to permit more light to strike the surface of the patio. This might do it, as moss does not thrive in direct sunlight, even if exposed only during a portion of the day. No doubt this could be done without harming the tree in any way.

I do not know where to find one of those glass balls that were used in the claw feet on the legs of old piano stools and on tables. The sphere would be about 4 in. in circumference.

J. K., Hamilton, Montana.

You do not name the manufacturer of the piano or stool; usually the maker's name will be on the product. However, it is extremely doubtful if a glass ball of the dimensions you give—you say "circumference" but do not give diameter-can be located, as manufacture of such items long since has been discontinued. Sometimes a replacement for such an item can be found in antique shops. If not, contact Ball and Ball, Manufacturers of Antique Brasses, Whitford, Pa. This firm makes some replacements of antique items to order. A single, custom-made item would, of course, be relatively expensive. If you do contact them, give them full information such as name of piano, stool manufacturer, size of ball and how it is mounted.

About six months ago I laid asphalt tile on the concrete floor of my basement. When the room was furnished as a summer kitchen we placed floor mats of heavy-duty plastic in areas where there would be heavy traffic. In the areas covered by the mats a brown fluid seeps from between the floor tiles. The basement is watertight so I cannot believe that condensation is causing the problem.

J. J. C., Staten Island, N. Y.


Sorry to have to disagree, but the problem definitely is caused by condensation. The presence of the condensate over a period of time has affected the tile cement, causing the tile to "float". A similar condition has resulted from furniture in basement recreation rooms, especially those items that sit low to the floor, or on the floor, preventing any air circulation.

You will have to replace the tiles in the damaged area, and get rid of the plastic mats. To minimize future problems we suggest installing a fan in one of the windows, then opening another window, or door, to allow air to circulate through the basement area.

Some of the 2 x 12 floor joists in our 4-year-old home are developing a fungus-like substance, (a sample is enclosed), and I am wondering if this could be the start of dry rot. The basement is concrete block, situated in sandy soil and condensation and moisture have never been a problem. The basement has good cross ventilation. J. U. L., Wis.



The enclosure in your letter is that of a fungus growth which attacks wood exposed to a continuing state of dampness. Your basement may appear dry, but actually the humidity level is quite high during the summer months. You can slow the advance of this deterioration by painting the surface with a wood preservative containing "pentachlo-rophenol"—"penta" for short. It can be obtained from most paint stores.



Furniture for a recreation room or family room must be attractive, easy to clean and sturdy. This coffee table combines these characteristics with simplicity of construction and the added feature of a magazine rack. The latter is an often-needed, but seldom-included feature of family-room furniture.

The table top is a rectangle of 1/2-in. plywood, over which can be cemented a scrap of marble-design plastic-surfaced wallboard, or a piece of plastic laminate, (Micarta, Textolite, Formica, etc.). The table-top edges are trimmed with L-shape members, made by cutting rabbets in lengths of stock as indicated. Make two shallow saw cuts the length of each piece as decoration. After cementing the laminate



After legs have been fitted to top, trim strips are attached. Strips are rabbeted, grooved, L-shape pieces.

## "MARBLE-TOP" COFFEE TABLE


## HAROLD JACKSON

to the plywood, the strips are mitered and fitted to the top assembly, being held with glue and finishing nails. Use two glue blocks on the underside of each side and end of the top to accept the nails. Legs for the table are turned from 11/4-in. closet pole dowels, to the dimensions given. They are fitted in two strips beveled to make the legs splay. If your bits are not large enough to drill to 11/4 in., shoulder the tops of the legs to 3/4 or 1 in. and drill the holes in the cross pieces to suit. Attach the leg assemblies with glue and screws to the underside of the table.

Make up the magazine rack as indicated, then attach it with glue and screws to the underside of the top. If a light color of "marble" is used, finish all wood members in a dark color. If a dark color of marble is used, finish all wood natural or in a light color.  $\triangle \triangle$ 



Final step is to attach magazine rack by driving screws up through rack members into underside of table top.





for WOODWORKERS!

DISCOVER Constantine's unsurpassed DISCOVER Constantine's unsurpassed values in quality tools, superb kiln-dried imported and domestic lumber, veneers, plywood, moldings, carving blocks, turning squares. Largest selection of furniture hardware, wood finishing and upholstery supplies, project plans. Fabulous glue injector, veneer saw, glue that needs no clamps. Over 2,000 hard-to-find products for craftsmen. Everything for easier, better woodworking! Send for illustrated Catalog. Enclose 25¢ toward mailing. TEAR OUT AD. Mail Today!

## SIMPLIFIED VENEERING

While limited supply lasts, we'll include FREE copy of "Simplied Veneering." Practical instructions on how to glamorize your craftwork and how to resurface beat-up furniture with beautiful veneers! Hurry to claim yours!

ALBERT CONSTANTINE AND SON, INC. 2050 Eastchester Rd. Dept. K-8 Bronx NY 10461 Enclosed 25¢ for new Constantine Catalog & Manual. Plus FREE copy of "Simplified Veneering."

Name Address City..... State Zip.

#### EARN EXTRA MONEY With Amazing "HEXE" AUTOMATIC NEEDLE THREADER Threads all size needles with the simple press of a button!

NORTHERN IMPORTERS, Dept. B-74 Chicago, III. 60645

## NOW! Fasten to Concrete WITHOUT DRILLING



Shure-Set attaches hundreds of items, such as furring strips, shelves, drape brackets, and conduit to concrete and building block with a few hammer blows. Eliminates expansion shields, plugs or toggle bolts. Kit comes complete with Shure-Set tool, starter selection of fasteners and instructions. Extra fasteners 98c bag. Order set #212 for fastening furring strips to concrete, and brackets and steel angles to block. Order set #216 for fastening 2xd's to Set #216 for fastening 2xd's for fastening 2xd's for fastening 2xd's for fastening 2x

Order by mail. Immediate shipment Write for our FREE catalog of fine tools DRUMCLIFF CO., Dept. 845, Towson 4, Md.

### **Build This Beautiful** Grandfather Clock

Send only \$1.00 for complete plans and instructions plus catalog of clock movements, dials, case plans and kits for building Grandmother, Grandfather, Terry, Steeple and other fine clocks.

Mason and Sullivan Co.

Dept. WB, Osterville, Mass.

#### PLANS PATTERNS

Things to Make, Do, for Fun and Profit. World's Greatest Selection.

ILLUSTRATED CATALOG

CRAFTPLANS, 18250 Harwood, Dept. F764, Homewood, III.
(Suburb of Chicago)

# CASH FOR YOU-

## **Electric APPLIANCES**


Learn at Home • \$3 to \$5 an Hour Spare Time, Full Time • Be Your Own Boss

profitable business you can run—right at home.
Repair Electric Appliances, using simple tools.
Pays \$3.-55 an hour!
CASH IN ON THIS BIG BOOM
400 MILLION Appliances. 

FREE BOOK tells about our easy, pictured in-profitable business you struction—backed by 45 vears of success in homeyears of success in home-training—prepares you for top earnings. Earl Reid of Thompson, Ohio, says: "Made \$510 in one month spare time."

For less than 20c a day letter or postcard, now

Send Free B	Washington 16, D. Cook, Free Appliance interested in: Time Earnings My Better Job	e Repair Course
Name		
Address		
City	Zone	.State
Accredited	Member National Home	Study Council



#### THE SPEED SQUARE

One Piece Tough Aluminum.

So light weight you will find yourself checking to see if it is still in your pocket.

Use it for Roof Framing-For all Carpenter Work,

3/16" Thick, for electric saw guide. Edges rounded, easy on your pocket,

Complete roof framing instructions, two books giving all rafter lengths, also instructions for cutting plywood sheathing at valleys, or hips, etc.

Postpaid, or at \$425 your Dealers,

Always sold on money back guarantee.

SWANSON TOOL CO. P.O. BOX 434 OAK LAWN, ILLINOIS "Frame Your Rafters as Easily as Your Studdings or Joists."

#### ER OWNERS JOINTER



NOW! At last you can set your knives to a tolerance EQUAL, to or BETTER than the original factory set-ting with this precision

\$2.95

KNIFE-SETTING GAUGE CHECK THESE FEATURES: Minimum setting time • True horizontal alignment of knives with rear table • Correct height of rear table in 30 seconds • This instrumental property of the seconds of the setting of the seconds of the second of the

203 So. Sierra Vista Monterey Park, California



raving, too. Save money. Print or Others. Good Profit. Have a pomeprint shop. Sold direct from atory only. Pays for itself in a tort time. Junior press \$15; Senior up. Easy rules sent. We supply erything. Write now for free tails. details. KELSEY PRESSES, X-95, Meriden, Conn.

WORKBENCH

# Women's Page



## Trunks To Storage Chests

### CHERYL BROGDON

Want an unusual and attractive storage chest that will cost very little? The answer is to use an old trunk. If you can't find one in the attic or basement, look in shops that sell second-hand furniture or check furniture auctions.

The first step is to remove the old lining, which quite likely will be musty and damp. If the trunk is metal, use a block of wood on one side, a hammer on the other to flatten any dents. Next, apply a watersoluble paint remover inside and outside the trunk. When it has loosened the paint, wash it off with a garden hose. A stiff-bristled brush may be needed for embossed areas. After washing, let the trunk dry for at least 18 hrs. Now, sand all rust spots on metal, rough spots on wood. If there are nail holes or other damage, use wood putty on wood, metal "putty" on metal.

After all repairs have been made, including filling holes, nicks and dents and replacing any wooden ribs or other members that have been broken, sand all surfaces smooth. Apply an undercoater to wooden trunks, a metal primer to metal trunks. A finish coat then is applied. You now may wish to add decals to the trunk, or to highlight embossed patterns or figures.

When the paint is dry, the lining is the next job. Lining fabrics can be quilted drapery material, sateens or cottons that are commercially quilted and available by the yard. Velvets and velveteens

also can be used.

Mrs. Hal Sundvahl, Tulsa, Oklahoma, shown converting a trunk, measures the inside of a trunk, then cuts paper patterns to fit. From these she makes cardboard patterns. The fabric is glued to the cardboard; this simplifies applying the lining to a trunk. Cardboard is used in the top of a trunk if it is flat, but a curved or contoured top is more easily fitted if the material is glued directly to the top itself.



Important in restoration of a trunk is to apply a quality paint remover; use according to included instructions.

Trims such as braid and rickrack can be used to cover seams and edges of material glued inside a trunk. If a trunk has a tray inside, it too can be covered with fabric. Check to be sure that the tray will fit in the trunk after it has been covered; if it will not, you will have to settle for painting the tray.

While we have mentioned just painting, there is no reason why "antiquing" cannot be used on a trunk. There are a variety of antiquing materials on the market, several being in kit form. You can choose the colors to be compatible with the decor of the room in which the chest is to be used, or the antiquing can match or contrast with the lining material. Metal fittings, such as hinges, hasps and the like can be buffed to a high polish. If any of the hardware is damaged or does not work properly, it should be replaced. Hardware for trunks



After removing the paint, the wood-or metal as in this case—is scraped and sanded to remove any rust spots.

can be obtained from luggagerepair shops, or from the hardware sections of large department stores or mail order houses. △ △



Carefully measure the inside of the trunk in preparation for installing a new lining in place of the old.



Material is cut to fit pattern made from paper. Cardboard also cut from pattern is used to support material.



White glue is used to apply the lining, and also to apply braid, rickrack or other trim on edges, seams of material.







Makes Fast, Clean, Accurate



No. 10 Adjustable Bevel-Cutter, cuts 450	
bevels from 1/32" to 5/16" wide	\$1.98
No. 16 Radius-Cutter, for 1/8" radius	\$1.49
No. 17 Radius-Cutter, for 3/16" radius	\$1.49
No. 18 Radius-Cutter, for 1/4" radius	
SPECIAL! Save by buying set of ON	

#### HEDGE-TRIMMFR SHOP-KING



## FITS ANY ELECTRIC DRILL

ts. trims and shapes hedges and shrubbery faster d neater than hand shears. Extra long 14" Blade, haddened tool steel, cuts wide areas faster. Long nide locks at 10 angles for most invenient use. Lightweight . . ideal women. Steel Gear Drive, Made U. S. A. \$12.95 list. No. 5000—celal Price.

At your dealer or order direct postpaid on 20-day Money Back Guarantee. (No COD under \$6.00)

ARCO TOOLS, INC.

## Dept. WB-7, 421 W. 203 St., N. Y. 34, N. Y. MAKE YOUR OWN CIGARETTE LIGHTERS



"Do-It-Yourself" Cigarette Lighter "INSERT" UNITS

These professional lighter units are especially designed for easy insertion into shop-crafted bases you make from wood, ceramic,

cast-metal, plastic, etc. Or turn ready-made objects; knick-knacks, figurines, etc. found around home into decorative cigarette lighters. Beautifully Brass-plated, fully automatic, round lighter unit is 115th in diameter. Comes complete with mounting cup. Price, Only \$1.75 ea. SPECIAL: 2 for \$2.98, 6 for \$7.50, 1 doz. for \$11.98. All Postpaid, Money Back Guarantee, Order Now!

EMPIRE ENTERPRISES 398 Broadway

AW-3 Newburgh, New York

### PORCELAIN KNOBS

#### GENUINE PORCELAIN KNOBS OF AUTHENTIC EARLY AMERICAN DESIGN.



(Dark, round-head screws supplied)
No. Diam. Hght, Price (each)
A 9/16" 9/16" .20
B 11/16" 5/8" .25
C 1" 3/4" .35
D 1" 1" .35 D 1" 1" .35 E 11," 11," .40 All prices POSTPAID.Minimum order \$1

FREE LITERATURE P.O. Box 377 COLONIAL WORKSHOP




IF you suffer pain and misery of Varicose or Open Leg Sores, send away at once for FREE Booklet THE LIEPE METHODS FOR HOME USE." Tells all about this 60-year-old method, praised and en-dorsed by thousands. Liepe Methods. Dept. 87-6, 3250 N. Green Bay Ave., Milwaukee 12, Wisconsin This small serving tray is designed so a number of duplicate ones nest together snugly, take very little space.

## SERVING TRAY

You can assemble this serving tray in an evening. If you do the work on a circular saw, it won't take much more time to cut parts for several. A set of four makes a fine gift. The wood should be closegrained hardwood. The bottom may be pre-finished tileboard 5/32 in. thick, or other suitable material up to ½ in. If you use the latter, the grooves and tongues in the wood pieces are increased to this size. All parts should fit together snugly and are joined with waterproof glue.

This project is an exercise in cutting molding. Figs. 1 to 9 show the progressive steps in handle formation. In making the cove cut, the angle of the diagonal fence, which is held with C-clamps, determines the radius. Use a piece of softwood first to determine the proper radius. Mark the center of the cove on the stock 1-1/16 in. from one edge. The first cut removes just enough wood to enable you to see if it's on the marked center. If not, readjust the fence. Successive cuts are about 1/16 in. deep. Stop cutting 1/8 in. from the edge to leave a flat that provides the necessary support for making other cuts.

After completing the cove cut, set the saw to an angle of 76 deg., Fig. 2. This angle is kept until the vertical cut in Fig. 7. By presenting the work to the saw in different positions, as in Figs. 2 to 7, the handle is cut to its finished shape except for the curved molding cut, Fig. 8, and the groove, Fig. 9. For the cut in Fig. 5, the recess in most saw fences will provide the necessary clearance as the blade barely projects above the table. For the notch in Fig. 2 and groove, Fig. 9, make separate cuts to make a wider one. Finish the wood with clear lacquer or spar varnish. △ △



## **Book and Booklet Reviews**

HOW TO SELECT AND INSTALL ELECTRIC MOTORS Sears, Roebuck and Co., Department 703PP, 925 South Homan Ave., Chicago 7, III. Free.

Designed to assist in the selection of the proper electric motor for any need, this 32-page pamphlet discusses the various kinds of single and multi-phase motors available. Covered are special applications for sump pumps, oil burners, belted fans, washing machines and other appliances.

Charts are provided that give standard N.E.M.A. frame dimensions, wire-load ratings, driven-pulley speeds and measuring instructions for V-belts. Information is provided to aid in correct motor mounting and maintenance that will add years of life to a motor and required electrical devices.

FUN PROJECTS FOR DAD AND THE KIDS Arco Publishing Co., 480 Lexington Ave., New York 17, N. Y. \$1.95 paper cover, \$3.50 Cloth cover.

Every Dad who has youngsters 12 or under, and every grandfather who has, or expects to have, grandchildren in that age span, should have this book in his library. Mr. Stiles has sketched dozens of ideas in the pages of this book to show how "imagination" toys are designed and built. Imagination toys are the things we played with before television and supervised sports activities took away the fun of being kids. Described are tree houses, pirate ships, play houses, tanks, boats, floats and other glorious playthings that a Dad or Granddad can make for a youngster to help him learn about having fun. Yes, there is a rocket ship too.

EICO 1964 CATALOG
Eico Electronic Instrument Co., Inc.
33-00 Northern Blvd., Long Island
City 1, New York. Free on request.

Over 200 items, in kit and pre-wired form are listed in this latest catalog. If you are interested in anything electronic, from a tape recorder to a complete hi-fi system, and want to save 40 per cent or more on quality components, we strongly recommend this catalog. All the items listed are top quality, and the kits are designed so that even a person completely unfamiliar with electronics can build one. Pre-wired components and units also are available.

THE COMPLETE BOOK FOR GARDENERS Edited by Rachel Snyder, Editor-in-Chief, Flower and Garden Magazine (Available by mail, see ad in this issue. \$7.95.) \$9.95 retail.

The editor of this very complete and comprehensive book is not only an excellent writer who makes all her subjects interesting to read about, but is a real do-it-yourselfer in both flower and vegetable gardens.

The book begins with an explanation of the various growing "zones" of weather in this country, and explains why some plants can be grown in some areas, but not in others. If you have moved from one state or area to another, this book explains what changes in plant selection are necessary if you want a successful garden. How to plan your landscaping is another section of the book; and both small and large yards are covered. Control of plant diseases, how to minimize insect damage-using not only chemicals, but enlisting the aid of frogs, birds, even other friendly insectshow to hybridize, graft and bud are described in detail. Construction of patios, walks, walls, fences, screens, cold frames, hotbeds and workshops also are included.

How to build and plant garden pools is another chapter in this fascinating volume. Want to keep yard maintenance to a minimum? The answer is in this book. There are 17 pictures in full color, 215 black and white photos and dozens of line drawings. A gardening bookshelf in one volume, and a real bargain at the price, we recommend this book to anyone who has a yard and garden, is thinking of having one, or who just likes to read about them.

ALL ABOUT THE U. S. S. R. Cross World Books and Periodicals, Inc., 333 South Wacker Drive, Chicago, Ill., 60606 Free on request.

Listed in this interesting catalog is everything that has been published in English in the Soviet Union. If you want information about the Russians as written by them, you will be fascinated by the listings of available children's books, film strips, books by Khruschev, books on teaching and learning the Russian language, their politics, science, theaters and so on. If you want a better understanding of any phase of the lives of our communist enemies, as described by them, we suggest you get the catalog and choose the subject in which you are interested.



This paint remover works in any temperature

Won't thin out, won't thicken.
You get full effectiveness of
Wonder-Paste's great removing
power. No hard scraping. And
it's easy to apply—doesn't run
on uprights.

REQUIRES NO WASH-UP

REQUIRES NO WASH-UP after finish is stripped. Get Wonder-Paste at paint and hardware stores.

Send 25¢ for illustrated
 Refinishing Manual

Free literature on request

Free literature on request. Wilson-Imperial Company 124 Chestnut Street Newark 5, N. J.





## PERFECT PROJECTS

Pre-cut, ready-to-assemble wood-working kits of every description. Over 60 to choose from. Cedar chests, gun racks, tables, water skis, archery sets, bedroom suites and many others.

Send 25¢ in coins or stamps for the new 4-color illustrated catalog.

Giles & Kendall Co.
BOX M, HUNTSVILLE, ALA.

MAKE RIPPING A CINCH RONVAD RIP FENCE FOR BAND AND JIG SAWS — \$3.25 ppd.

Clamps to saw table with a twist of the hand. No drilling or tapping. Aluminum—fits all saw tables from 8" to 14". 10 Day Moneyback Guarantee. SWANSON, 4044-C Dean Dr., Oaklawn, III.

## MY SPARE TIME HOBBY MAKES ME \$500 an hour **CASH PROFIT**

#### START YOUR OWN SPARE TIME BUSINESS

You can turn your spare time into Big Cash Profits with your own COMPLETE SHARPENING SHOP... Grind saws, knives, scissors, skates, lawn mower blades...all cutting edges. Your Own Cash Business with no inventory...right at home ... no experience needed.

FREE BOOK tells how you can start your own spare time business while you are still working at your regular job. Low Costtime payments only \$15.00 a month. Send coupon today.

BELSAW Sharp-All Co , 7505	Field Bldg.,
Kansas City 11, Mo. Send FREE Book "LIFETIME No obligation.	SECURITY."

### MAKE MONEY at HOME FART TIME!!



EXPERTLY DUPLICATE Turnings, Carvings, Etc.
right on your own lathe accurately &
fast. All from easy to make templets
or originals. Now available is our
NEW off-the-lathe No. 4 CARVER
MODEL shown here duplicating a
valuable mahogany bust from an inexpensive ceramic one! Send 25 cents
on to the statemer. REFUNDABLE

TURN-O-CARVE TOOL CO., Dept. W-465 P.O. Box A, Santee, California







#### CHAIR CANE

SAVE YOUR VALUABLE CHAIRS Easy to do yourself. Genuine Strand Cane. Woven Cane Webbing for Chairs with Groove. Fibre Rush. Catalog Dime. Instructions 50c. Complete Seat Weaving Book, \$1.25, Raffia. Basket Reed, Bas-ketry Book, 75c.

FOGARTY CANER, Dept. 3, Troy, N. Y.



OR. RUG CO. • Dept. 5448 • LIMA, OHIO

## **Refinishing Clinic**



ANTIQUING KIT

Now available is an antiquing kit that can be obtained with any of six "Provincial Color Glazes", including pink, blue, olive, gold, red and white.

A big advantage of the new kit is that it does not call for removing the old paint or varnish first, even if it is marred, checked or fogged. You first paint the article with the off-white undercoater supplied, then brush on a coat of translucent color glaze, and third you wipe it with cheesecloth to produce subtle shadings. A pale tint of color covers flat surfaces and high points of carved designs, while deeper color remains in crevices of carved areas, emphasizing design.



Each kit contains undercoater, color glaze, a 11/2-in. brush, a flat artist's brush, three grades of sandpaper, cheesecloth and a book of instructions. Kit costs about \$5 wherever Martin-Senour paint is sold.





### FOUR-YEAR FINISH



A new wood finish that never needs waxing is being marketed with a 4year consumer guarantee. Called Zip-Guard, the material is a urethane product and can be applied on exterior or interior surfaces with no priming. It has been used successfully as a finish and sealer for concrete floors and for marine use and is recommended for floors, cabinets, paneling and furniture. Redwood, cedar and cypress which are oily and sometimes difficult to maintain can be permanently sealed and finished with this material. A 16-page redecorating and refinishing book is offered free. Write Star Bronze Co., Box W-13, Alliance, Ohio.

## FINISH Updates Table

This well-built, solid walnut table once had a dark, glossy finish. But after quite a few years of marriage and several children almost everything had happened to it. It had scratches, dents and water stains. The little varnish left was streaked and the legs were scuffed and marred. Our solution was to use a quality paint remover and strip the table down to bare wood. We then used fine sandpaper and steel wool to smooth all surfaces. A wet cloth and a hot iron smoothed dents. Filler was used to fill in tiny cracks and scratches. Two coats of clear



furniture wax gave the top a soft, mellow finish. The legs are painted black. We now use the table with new blonde furniture. The top truly is blonde, while the black legs have a "wrought-iron" look.

## **Dust-Removing Cloth**



Much like a tack cloth, yet without the usual problems of excess stickiness and rather quick hardening when exposed to the air, this Crystal Cloth picks up, holds and removes dust and surface particles with an easy wiping motion.

So free of messiness is the cloth that it can be used as a dust cloth for fine furniture. If not available locally, two 9-ft.-sq. Crystal Cloths will be sent for \$1 from Bond Chemical Products Co., 2100 W. Fulton, Chicago 12, Ill.

### New Paint Remover



Long famous for their clear finish that does such a beautiful job, the Deft Co. now announces that they have a paint and varnish remover called "Remove." It loosens paint films quickly and scrapes off cleanly. It is heavy-bodied so can be used on vertical and overhead surfaces. The material also works on epoxy and urethane finishes which are tough to remove. Remove is available in gallons, quarts and pints. For further information write to Deft, Inc., P. O. Box 2216, Torrance, Calif.

## THE POCKET SIZE MACHINE SHOP



#### NEW HEAVY DUTY NO. 3 MOTO-TOOL

New high torque motor designed for industrial use. Same features as No. 2 plus 50% increase in power. Weighs only 18 oz. Complete with ¼" and ¾" collets and finger grip in steel case...\$29.95

SEE YOUR DEALER OR WRITE FOR CATALOG DREMEL MFG. CO. DEPT.374F RACINE, WIS. QUALITY POWER TOOLS SINCE 1934



Big Money-Maker for Handyment HOLST Aligning TOOTH SETTER Aligning QUICKLY ADJUSTABLE for ANY DEGREE of SET

Fast, consistently accurate tooth for tooth. Ends guesswork of older methods. Life-time tempered steel dies and universal locking cone. Handles 4 to 20" blades. Steel plate and the control of the control of the control of the parameter.

Holst Mfg. Co. Still Cricklewood Ave.

## BUILD HEIRLOOM CLOCKS



Send only 10c for complete clock book of grandmother, grandfather, wall and shelf clocks easily made with simple tools. Also a wide selection of finest dials and movements and moldings in different cabinet woods.

CRAFT PRODUCTS, Elmhurst 7, Illinois

## **Authors!**

Your book can be published, promoted, distributed by successfui, reliable company. Fiction, non-fiction, poetry, scholarly, religious and even controversial manuscripts welcomed. Free Editorial Report. For Free Booklet write Vantage Press, Dept. HB, 120 W. 31 St., New York 1.



## FREE SALES OUTFIT THAT STARTS BIG SHOE BUSINESS FOR YOU



Get in highly profitable, repeat-order shoe business! Sell amazing line of Air Cushion Innersole comfort shoes to friends, neighbors, fellow workers, Dress, sport, work, safety shoes for men, women. Make \$10 to \$75, as much as \$200 monthly just in spare time. No investment. Send card today for FREE SELLING OUTFIT.

Mason Shoe, Dept. F-598
Chippewa Falls, Wisc.



## CARVING A LION

**ALEXANDER** van ELST



(Mr. van Elst, a citizen of Unterammergau, Germany, is a member of the National Wood Carvers Association. His work was called to our attention by a fellow member of NWCA, Mr. Edward Gallenstein of Cincinnati, Ohio.)



Natural place to start carving is mane; front legs also can be carved and blended into mane as indicated.



3. Mouth and muzzle can be tricky. If you are in doubt about features, check photos of lions in magazines or books.



 No drawing is given of top view; check the photos and carve to suit.
 Allow ample stock for mane and legs.



4. From mouth and muzzle, carving flows back to ears that are just in front of mane, above and outside eyes.



5. With front portion finished, move back along body, carving back and rump; legs and tail also.

6. From back you work around to stomach, also finishing rear legs and tail. Be careful when carving tail.



7. Original lion was mounted on blackpainted base. Lion itself was given several coats of wax, buffed with brush.





This lion carving is an excellent project for both beginner and advanced craftsman. The beginner can block out the animal's body and stylize it to suit, while an advanced carver can add all the details he wishes.

Start by sawing out the two body halves from pine or basswood, using 2-in. stock. Enlarge the squared drawing to make your patterns. You may wish to make the lion bigger than the original, but a smaller version would be quite difficult. Glue and clamp the halves and allow ample time for the glue to set completely.


We have not given a pattern for the top view of the body. Be extremely careful if you saw the sides of the body, as you easily can saw away too much and have no stock for the rear legs. For beginners we suggest using a knife to shape the sides of the body, rather than a saw. Note in Fig. 1 that a pencil is used to mark the outline of the top of the back; also note the projecting right rear leg.

After shaping the body roughly,

start finish-carving with the mane, Fig. 2. The front legs can be worked at the same time. When the mane and legs are pretty well formed, work on the muzzle, Fig. 3, and the mouth. Work back from the muzzle and mouth to the ears, Fig. 4. From there, Fig. 5, carve along the back. Work from the back down around each side to the stomach, as in Fig. 6. While working on the back and stomach

it will be natural to flow the carving into the rump and rear legs. Be cautious when you are working on the tail; a wrong move and you will have to glue on an extra piece to correct your error.

The original carving was fitted on a black-painted slab of wood as indicated. The lion itself was given several coats of paste wax and buffed to a sheen with a brush, Fig. 7. △ △



## WORKBENCH CLASSIFIED

The charge for classified advertisements is 90 cents a word payable in advance by check, cash or money order. All classified set solid, without display, leaded, or blank space. All copy subject to publisher's approval. For clarity, please type or print your copy. Be sure that check, currency or money order accompanies copy. When figuring the number of words be sure to include name and address. For example: W. C. Jones, is three words. Send your copy in at once. Closing date for classified advertising is the first of the second month preceding publication. Minimum 10 words.

## AGENTS AND SALESMEN

IF YOU'RE interested in making money in selling, see the hundreds of exceptional opportunities in Salesmen's Opportunity Magazine. Send name for your copy, absolutely free. Tell us what you're selling now, Opportunity, 848 N. Dearborn, Dept. 29, Chicago 10, Ill.

RUN SPARE TIME Greeting Card-Gift Shop at home! Show friends samples of new 1964 Christmas, All-occasion greeting cards, gifts! Take orders. Earn to 100% profit. No experience needed. Try without cost! Special fund raising plans for organizations. Rush name for samples on approval, Regal Greetings, Dept. 161C, Ferndale, Michigan.

SENSATIONAL new longer-burning Light Bulb. Amazing Free Replacement Guaranteenever again buy light bulbs. No competition. Multi-million dollar market yours alone. Make small fortune even spare time. Incredibly quick sales. Free sales kit. Merlite (Bulb Div.), 114 E. 32nd, Dept. C-74Y, New York 16.

#### **BINOCULARS & TELESCOPES**

SCIENCE BARGAINS! Lenses, telescopes, binoculars, microscopes, kits, parts, war surplus. Send \$1.00 for beginner's 10-lens kit with instruction booklet. Order Stock 2-HT, Request Free 148-page Catalog HT. Edmund Scientific Co., Barrington, N. J.

#### **BUSINESS OPPORTUNITIES**

INVESTIGATE ACCIDENTS. Earn \$750 to \$1,500 monthly. Men urgently needed. Car furnished. Expenses paid. No selling. No college education necessary. Pick own job location. Investigate full time. Or earn \$6.44 hour spare time. Write for Free Literature. No obligation. Universal, CWB-3, 6801 Hillerest, Dallas 5, Texas.

MAKE BIG MONEY. Own and operate your own fix-it shop. Service household appliances, motors, mowers, etc. Every neighbor, every stranger your prospect. Millions of appliances everywhere need fixing, \$5-6 per hour often charged by appliance service technicians. Christy's Shop Method Home Training Program, illustrated lesson manuals, professional testing equipment sent on special pay later plan. Write for Free book. No obligation. Christy Trades School, Dept. A-3064, 3214 W. Lawrence, Chicago 60625.

SPARE TIME EARNINGS. With your Tablesaw, Bandsaw or Jigsaw, Write: Workshop, D3800 Harney, Vancouver, Washington 98660.

HOW AND WHERE to Raise Capital. Details Free, Financial, Box 785-L, Springfield, Missouri 65801.

AMAZING MAIL ORDER PROFITS using proven methods. Research, 3207-L Southern Hills, Springfield, Missouri 65804.

PIANO TUNING learned quickly at home. Tremendous field! Musical knowledge unnecessary. Free information. Empire School of Piano Tuning, Box 327, Shenandoah Station, Miami, Florida 33145 (Founded 1935).

LIQUID RUBBER, Plastercraft Kits, Molds, Hobby Supplies. Catalogue and Sample 10c. Wooley Company, Box 29-C, Peoria, Ill.

MONEYMAKING OPPORTUNITIES Galore! Free Copy. Popular Mechanics Classified, 575-CM Lexington, New York 10022,

DOLLS! DOLLS! We teach you to make, repair, dress and sell. Study at home. Earn while learning. Free Booklet. Doll Hospital School, Studio WBC-74, 11826 San Vicente Blvd., Los Angeles 49, Calif. PLASTERCRAFT MOLDS, liquid rubber, plasters, flocks, candle supplies. Catalog and manual free. Blue Rapids Supply, 505 Main. Blue Rapids, Kans.

PLASTICS—CASH IN NOW With My New Home Producers "No Selling" Plan. I supply everything, even Financing! NPC, Box 23321-P, Los Angeles 90023.

I MADE \$40,000 Year by Mailorder! Helped others make money! Start with \$10.00—Free Proof. Torrey, Box 3566-E, Oklahoma City 6, Okla.

FREE BOOK "990 Successful, Little-Known Businesses." Work home! Plymouth-729G, Brooklyn 4, New York.

#### COINS

TRUNKFUL 25,000 INDIAN-LINCOLN cents mixed (from the 1920's & older). Will pack "Grab-Bag" style. 400 mixed—\$25,00, sample bag of 20 — \$2,00. Mrs. Fischer, Box 5490, Sherman Oaks 27, Calif.

#### CRAFTS, SUPPLIES

SKIL-CRAFTS NEW '64 catalog. Largest and Finest selection of Leathercraft, Artist, Hobbycraft supplies in the world. Free Gift with first order. Send 50c. Refundable with first order. Skil-Crafts, Box 105-W, Joplin, Mo.

#### **EARTHWORMS**

FREE LITERATURE. Make Big Money raising fishworms and crickets. Carter Farm-32, Plains, Ga.

EARN MONEY raising fishworms for us! Exciting details free! Oakhaven-27, Cedar Hill, Texas.

MEN!—WOMEN! Make money raising bait for us. We buy your crop! Red Wigglers, Warsaw 17, Indiana.

## FLORIDA LAND BARGAIN

FLORIDA WATER WONDERLAND. Homesites, cottagesites, mobilesites. Established area, \$390 Full Price, \$5.00 month. Swimming, Fishing, Boating, Hunting, Golfing. Write, Lake Weir 4, Silver Springs, Florida.

#### **GUNS**

WOODCARVING, GUNSTOCKS. Miniature animals, figurines, Hermania Anslinger, 320 South Ralph, Spokane, Wash.

#### HOBBIES

50 ORIENTAL BUTTERFLIES \$2.00. Giant Naturehobbies price lists 25c. Collectors Wonderland-25, Box 1170, New York 8.

#### HOME CRAFTSMEN

VIOLIN MAKING Supplies, Free catalog, Fred Artindale, 1243 Palm, San Luis Obispo, Calif.

SAVE! PICTURE FRAME Moulding direct from manufacturer. All Styles, We can miter corners. Illustrated Catalog 25c. Bauerle Cabinet Inc., Dept. 7 WBH17, Hammond, La.

PLANS AND INSTRUCTIONS for 6' picnic table, 25c. White's, 86 Keene Road, Acushnet, Mass.

68 POPULAR plans and patterns. Lawn chairs, Ornaments, Bird houses, Novelties, Shelves. \$1.00. Mastercraft, 71B, 7041 Olcott, Chicago 31.

UNFINISHED PICTURE FRAMES—½ inch 8 x 10 Walnut Wall Frame 80c—Free Catalog. Japs, Dept. W 64, 126 Seventh North, Hopkins, Minnesota.

### HOME MOVIES, COLOR SLIDES

FREE! Six months subscription to Blackhawk Bulletin — most extensive listing of 8mm. movies and 2" x 2" color slides available anywhere! Blackhawk Films, 21 Eastin-Phelan Bldg., Davenport 5, Iowa.

#### INSTRUCTIONS

LEARN REALISTIC Oil Painting by correspondence, Amateur and advanced, Walker School of Art. Box 486, Montrose 8, Colo.

SIGN PAINTING by fascinating system. Straley, 410-W. So. Western, Springfield, Ohio.

#### MISCELLANEOUS

BACKYARD INCINERATOR — Rustproof! Fireproof! Do-It-Yourself Plans, \$1.00. Brugenheimer Company, Box 158-TP3, Lexington, Mass.

#### MUSIC, MUSICAL INSTRUMENTS

SWISS MUSICAL MOVEMENTS. Mechanical, Electrical, Spielman, 131 West 42nd. New York 36.

#### OF INTEREST TO WOMEN

FUN & PROFIT — "67 Ideas for Plastic Scraps" like berry baskets, detergent bottles, etc. Make gifts, bazaar items, toys, etc. Send 25c for booklet to Plastic Scraps, Dept. C-53, 14 Main St., Park Ridge, Illinois.

MAKE \$100.00 FAST sewing, assembling our products. Materials supplied! FMN, DeFuniak Springs 8, Fla.

EARN up to \$2.00 hour sewing ready cut materials. Babygay, Warsaw 18, Indiana.

### OLD GOLD & JEWELRY WANTED

CASH IMMEDIATELY For Old Gold—Jewelry, Gold Teeth, Watches, Diamonds, Silverware, Spectacles, Free Information. Rose Industries, 29-PH East Madison, Chicago 2.

#### PATENTS INVENTIONS

INVENTORS! We will develop, sell your idea or invention, patented or unpatented. Our national manufacturer-clients are urgently seeking new items for highest outright cash sale or royalties. Financial assistance available, 25 years proven performance. For free information write Dept. 25, Gilbert Adams, Invention Broker, 80 Wall St., New York 5, N.Y.

## PLASTICS

NEW LIQUID Casting Plastic, clear, colors. Embed real flowers, butterflies, photos, coins. Send 25c for two handbooks, "How to Cast Liquid Plastics" and "How to Make Extra Money at Home," Castolite, Dept. 109-H. Woodstock, Ill.

#### ROCK HOUNDS-JEWELRY MAKING

ROCKHOUNDS—GEM CUTTERS— Jewelry Makers . . . new Free catalog—just off the press! Biggest supplier to hobbyist and craftsman offers you tools, materials, equipment, introductory bargains and know-how. Free Catalog . . Write Grieger's, Dept. C-5, 1633 E. Walnut, Pasadena, Calif.

### SHELLCRAFT

SEASHELLS, SHELLCRAFT and Jewelry Supplies. Illustrated Catalog 25c, refunded on first order. Florida Supply House, Box 847H, Bradenton, Fla. Our 30th year.

## STAMPS

100 OLD U. S. stamps between 1861 and 1935 only \$1.00. Roush Stamp Co., 51 Chestnut, Mansfield, Ohio.

225 STAMPS only 10c with approvals. Mystic, Camden 22, New York.


#### WOODWORKING

MAKE \$46 From Square Foot Plywood; Jigsaw necessary. Free Information. Woodarts C-7, Bridgewater, Mass.

FAIRYLAND BIRDHOUSE. Blueprint plans, instructions and actual photograph. \$1.00, cash or check. R. Doczy, 54263 Northern, South Bend, Indiana 46635.

102 FULL SIZE Jig Saw Patterns only \$1.00-Pattern Service, Medway, Mass.

## CRACKER CRADLE




## (Hand-Tool Project)

This attractive and useful cracker cradle can be made from scraps salvaged from other woodworking jobs, or from wood obtained from fruit crates. Length of the tray can be varied. You might want one a couple of feet long if you serve a variety of crackers and dips for large groups of people. A beginning craftsman might make them in several lengths, then show them to neighbors to see if any are interested in buying the cradles in a

particular length. The cradle shown is not finished; a clear finish or a bright-colored enamel will enhance the appearance.

While the cracker cradle is a simple project, use care in cutting and fitting the parts. Sand each one carefully and round all edges. Glue and brads can be used for the assembly, as indicated, or roundhead brass screws can be substituted to give the cradle a touch of decoration.  $\triangle \triangle$ 



## EAT ANYTHING



Trouble with loose plates that slip, rock or cause sore gums? Try Brimms Plasti-Liner. One application makes plates fit snugly without powder, paste or custions. Brimms Plasti-Liner adheres permanenly to your plate; ends the bother of temporary applications. With plates held firmly by Plasti-Liner, applications. With plates held firmly by Plasti-Liner, applications. With plates held firmly by Plasti-Liner of strip of Plasti-Liner on troublesome upper or lower. Bite and it molds perfectly. Easy to use, tasteless, bedonless, harmless to you and your plates. Removable as directed. Money-back guarantee. At your drug counter, \$1.50 reliner for 1 plates; \$2.50, for 2 plates. Plasti-Liner, Inc., Dept. P-112, 1075 Main Street, Buffalo 9, New York.

## BRIMMS PLASTI-LINER

## STOP SUFFERING AND START LIVING!

WEB GUARANTEES IMMEDIATE, LASTING

#### RUPTURE RELIEF



OR YOUR MONEY BACK IN FULL!

Enjoy a stronger, happier life. Wear a Web for strong support and lasting relief of reducible inguinal rupture. If not completely satisfied, return within 30 days for full refund of purchase price.

Write for FREE book on rupture care. WEB TRUSS CO. Dept. WB-7 Hagerstown, Md.

инининининининининини

## GARDENERS

инининининининининининини



SAVE \$2 over regular price. MAIL COUPON below TODAY!

FREE

BOOK

Special price

### for FLOWER and **GARDEN** readers!

Examine Flower and Garden's Complete Book for Gardeners in your own home at your leisure at our expense. Unless you agree that this complete, authoritative guide will help you become a more successful gardener in record time, return the volume in 10 days and pay nothing, owe nothing. ing.

Flower and Garden, Dept. 2053

543 Westport Road, Kansas City, Missouri 64111

Send me immediately Flower and Garden's Complete Book for Gardeners. Within 10 days I will either return the book or send you \$3.95 as first payment and \$2.00 per month for two months until the total \$7.95 (plus shipping) is paid.


Name	
Address	
City	State Zip-code
☐ Save! Remi	full \$7.95 now and we pay cost of shipping.



W.N. VISCOSE COMPANY 100 W. Chicago Ave., Chicago 10, III.


## SHOP TIPS

## "In-Between" Shelves



Extra shelves for storing small items such as salt and pepper shakers can be located between the existing shelves in kitchen cabinets. Cut 1/4-in. Masonite for the shelves. making them no longer than 12 in. The brackets for the shelves are Lshaped lengths of 1/4-in. brass or steel rod. Thread one end of each rod to accept a nut. Slip the rods through holes near the corners of the shelves, then through holes drilled in the existing shelf above. Counterbore the holes in the existing shelf so the nuts do not project.

## Door "Inlays" Hold Hooks




Closet and bathroom doors often have one or two clothes hooks, but they seldom are at the right height for everyone or every item. The solution is to attach "inlays" of perforated hardboard, spacing the board out slightly so that hooks of various kinds and sizes can be located at the heights required. G. R. Cannady, Torrance, Calif.

## Simple Centering Tool




If you do not have a combination square at hand for centering the ends of round stock, here is an inexpensive substitute. It is an Lshape corner brace to which a piece of flat steel is attached. One edge of the strip bisects the angle formed by the brace. Clamp the strip in place, then drill two No. 36 holes through both members. Tap the holes in the brace for a 6-32 screw, and enlarge the holes in the strip with a No. 26 drill to fit 6-32 screws snugly.

## Fitting Molding




When fitting molding to an inside corner, only one member need be cut. That one first is cut at 45 deg., the face side being the short side. The resulting profile then is cut with a jig saw or coping saw to produce an outline that will fit per-fectly against the face of the molding on the adjacent wall. Leslie Herron, York, Nebr.

## **Curtain-Rod Tool Holder**



Flat, telescoping curtain rods can provide excellent, ready-made strips for use as tool hangers. The hooks shown were bent from nails, the heads big enough to lock in the strip, yet free enough so they can slide in the rod. Each telescoping rod has two sizes of rod, so use one for light duty, the other heavy duty, and select the nails in a size to suit the job.

## **Dowels Hold Screws**



Much more holding power can be provided for wood screws driven into end grain by using dowel anchors. Drill a hole crosswise to the end grain and glue a dowel in place. Locate the dowel to suit the length of the screws used, so the screws will penetrate the dowel completely. Pilot holes should be drilled through the dowels.

## Wire-Solder Dispenser




No need to pry open a rusty tin of wire solder every time you use it. Having the end of the coil project from the tin through a 1/4-in. hole in the side makes it ready for instant use. Provide a wooden sleeve -drilled dowel-so the coil will rotate freely. The sleeve is centered in the can and held with a machine screw. To prevent the solder from catching on the sharp edge of the hole, press in a brass eyelet.

## **Drill Straightens Wire**



A quick and handy way to straighten lengths of wire of thicknesses less than 12-ga. consists of gripping one end of the wire tightly in a vise so that it extends horizontally, and chucking the other end in a hand drill. Then, while pulling the wire taut, rotate the drill a few times until the wire has twisted straight. Loosen the drill chuck from the wire first while holding the wire from bending with one finger, then remove the wire from the vise.

## "Hiding" A Nail



While it is an old cabinetmakers' trick, here is a stunt that some of our readers may not know, and others may have forgotten: Use a small, sharp wood chisel to lift a sliver of wood where a nail is to be driven. Drive the nail in the cavity formed and set it below the surface. Finally, the lifted sliver is glued down again. Done carefully, this makes an "invisible" nail.

### Tree Protectors



Small rubber tires, salvaged from discarded tricycles and other wheeled toys make fine guards to protect trees from lawn-mower damage. Cut through the tire and the wire insert, then fit the tire around the tree. The tension of the wire will hold it in place.

G. Brinkman, Okawville, Ill.

## Gluing Dowels In Blind Holes


To release air and glue that collects under a dowel being driven into a blind hole, grip each dowel with a pliers and cut a lengthwise slot with a bandsaw or jig saw. You also can do this by holding the dowels lightly in a vise and using a hand saw.

## Holder For Grinder



When using a small hand grinder it often is easier to manipulate the work against the wheel while the grinder is mounted horizontally, rather than to handle the grinder. For this purpose it is handy to have a block fitted with two large spring clips, permitting the grinder to be slipped in place or removed instantly. When used, the block is gripped in a vise.

## Stop On Side Cutter



When cutting a quantity of identical lengths of wire on your side cutter you can save time by fitting it with a simple stop bent from sheet metal. Bend the metal to a Z-shape and fasten one end to the top jaw of the cutter with a small C-clamp.

## Filter Tips

Do not discard furnace filters after they have done their job and been replaced with new ones. The metal grill on either side can be used for many projects. I cut one of these grills in half, bent it around a 3 x 3-in. wooden base, attached a handle and used it as a suet holder for feeding winter birds. The metal also could be used as a decorative grill in a frame for a cabinet or other piece of furniture. The fiber glass portion of the filter can be used for insulating small items, or in the bottom of a charcoal grill to protect the fire pot.

L. J. Davis, Colorado Springs, Colo.

# When You See This...

... it means the product has been "in-use" tested, evaluated and approved by our staff, and that by its quality, performance and usefulness, or its uniqueness of design or idea, it is considered to be of special interest to you, our reader.

Only selected products have been, and will be, awarded the WORKSHOP TESTED SEAL. This is just one part of our continuing efforts to improve your magazine.

The Editors,
WORKBENCH

## IN THE NEXT ISSUE

Enlarge A Family Room American Windsor Chair Using Wood Chisels Ranch-House Bird Feeder Child's Chair And Settle




"I'm through with the jointer, Dear, DEAR, DEAR!"

## Desk-Top File Cabinet

Neat and compact, this desk-top file cabinet has two drawers that will accept  $8\frac{1}{2} \times 11$ -in. stationery or typing paper, the other two drawers hold standard 3 x 5-in. file cards. Even if a housekeeper has no desk of her own, she would appreciate having the cabinet in the kitchen on a counter or shelf, where she could file recipes on the cards, and write personal letters on the stationery. The file cabinet also would make a fine gift for friends who have trouble keeping a neat desk.


The original cabinet was made of solid ash. Any hardwood could be used, or hardwood-faced plywood. Note that the backs of the larger drawers have a cutout to permit easy removal of the sheets of paper. The smaller drawers are grooved vertically along the inside surfaces of the sides so dividers can be moved to accommodate the



Top, bottom and partitions are dadoed and rabbeted to fit neatly and strongly together with aid of glue and screws.




Two drawers are designed to accept standard  $8\frac{1}{2}$  x 11-in. paper, two are for standard 3 x 5-in. file cards.



varying number of cards that would be used.

Space for a couple of books or ledgers is provided on the extension of the base. A piece of spring brass is coiled to make a "book end" that is fastened to the edge of the base. The pulls for the drawers are scraps of hardwood. They can be finished in a contrasting color, as on the original, or they can be finished in the same way as the rest of the cabinet. Make the drawers small enough so they slide easily, and wax the lower edges of the sides to further assure easy operation.  $\triangle$   $\triangle$ 



## ALL This and More in Your FREE Book: ADDITIONAL BEDROOM BUILT-IN CLOSETS MODERN FURNITURE PRACTICAL HANDYMAN'S ENCYCLOPEDIA TV REPAIRS ANTENNA PROBLEMS HOME VENTILATION BURGLAR ALARMS ALUMINUM PROJECTS ATTIC EXPANSION HOUSE FRAMING GARDEN ACCESSORIES BOOSTING GAS MILEAGE WINDOW FRAMING SKYLIGHTS PLYWOOD PROJECTS POWER TOOLS AIR CONDITIONING HOME AND CAR TRANSMISSIONS. DRIVE SHAFTS, AND DIFFERENTIALS SPRAY PAINTING OUTDOOR FURNITURE WEBBING DORMERS WEATHERPROOFING ATTIC FANS BAR CART PATIOS BARBECUES **EMERGENCY** CAR REPAIRS AUTO TUNE-UPS STARTING PROBLEMS CAR COOLING SYSTEM ROOFING SHEATHING APPLIANCE REPAIRS GUTTERS & FLASHING \$2.98 PER VOLUME VOLUME

NOW READY Accept Your FREE Volume Today!

## Take this big 196 page "Fix-it"book FREE!

Yes, entirely FREE—and packed with plans, projects and ideas for make-it-yourself fun, ways to save money by making home improvements and car tune-ups and repairs yourself, often doing them better than "high-priced" outside help and far easier than you might think.

#### WHY DO WE GIVE AWAY THIS LARGE VOLUME

containing over 100 projects, over 400 how-to pictures, over 50,000 words-with-out "strings," cost or obligation? Simply to demonstrate to home and car owners and hobbyists the dollars-and-cents value of our famous "how-to" Encyclopedia. We hope that by owning and using this valuable Volume I, you'll want to know about the complete Practical Handyman's Encyclopedia.

#### Which of these projects would you like to start right away?

Want an extra room or bedroom for your home? Volume I's first project is a picture-text guide to putting up walls, ceiling, installing lights, fixtures, insulation, a closet, etc. Even if you're a beginner it's not beyond your skills-experts guide your hands, show what and how to do every step so you can't go wrong or waste materials or time. Want to air condition your home? (6 pages; 11 photos), Fix your TV antenna for trouble-free reception forever? (10-point checklist, diagrams; adjustment secrets.) Want garagemen's car starting and tune-up tips? Gas-saving ideas that work? Want to build a bar cart? Barbecue? Attic venti-Modern armchair for a few dollars? All this and more is yours free in

#### You can save \$2.50-\$4.96 hourly labor charge -and be proud of your craftsmanship even on jobs you've never done before!

The no-guessing directions in this book are so foolproof, even an amateur can build projects you would think only skilled workers could handle. Now you'll be able to make many TV repairs-and save \$9 house calls, Instead of calling in a carpenter to finish your attic, you'll do it yourself in your spare time and the \$4.25 an hour charge. FREE volume also shows you how to do dozens of car fix-its that will save you

#### How to have Volume I shipped to you immediately as a FREE gift

Send the shipping label below and we'll mail Volume I to you immediately. It is yours to keep forever. We do not want you to send it back or to send any payment for it at any time.

By placing this large 7½" x 11" volume in your hands, we will be able to show you the kind of material in the complete Practical Handyman's Encyclopedia... 18 superb volumes with 3,456 pages, over 18 superb volumes with 3,456 pages, over 7,090 show-how pictures, thousands of ideas and projects. You'll discover plans for building things you've always wanted to own... gardening and home landscaping ideas and plans... hundreds of furniture plans and photos... plumbing and electrical work with 675 illustrations to guide you...50 articles on hi-fi, electronics . . . workshop and power tool information...detailed plans for over a dozen different boats... 8 great cabins, cottages and rustic lodges...fascinating projects in ceramics, wood carving and photography...modern kitchens, baths and breakfast nooks...concrete and masonry work . . . year 'round homes . . . toys and gifts... and much, much more.

After you have seen and used your free Volume I, you may, if you wish, go on to accumulate other volumes, as they become ready about once a month. Within 7 days you either remit the low price of \$2.98 plus shipping - or you return the book and owe nothing. If you decide not to buy any books at all, that's perfectly all right. Volume I is still yours, still free of any cost at any time. If you buy only one book...or several...or the whole set...you'll be getting a magnificent bargain. If you want to stop books from coming, just write and we'll cease shipment immediately upon receipt of your instructions.

The supply of books to be given free is limited. Please fill out shipping label in coupon below right now and mail (without money) to: WORKBENCH, 543 Westport Road, Department 2051, Kansas City, Missouri 64111

### Written by America's Leading How-to Authorities:

- · B. Gladstone, Home Improvement Ed., B. Gladstone, Home Improvement Ed.
  N. Y. Times
  W. Fischman, How-to writer, N.Y.
  News, Popular Science
  R. Hertzberg, famous electronics
  expert and writer
  R. Brightman, Crafts expert; editor
  Mechanix Illustrated
  T. Riley, Field & Stream
  D. Manners, Building Editor,
  House Beautiful Magazine
  H. Kelly, champion boat designer
  Art Margolis, conductor TV Repair
  Dept., Popular Science
  J. Hand, Outdoor furniture expert,
  Better Homes & Gardens
  F. Russell, dean of car experts.

- Better nomes & Gardens F. Russell, dean of car experts. His books have sold millions. R. DeCristoforo, best-selling author of power tools books, WORKBENCH and many others.

## FREE-GIFT SHIPPING LABEL-MAIL TODAY

ZIP-CODE

## SHIPPING LABEL FROM: WORKBENCH, 543 Westport Road, Dept. 2051, Kansas City, Missouri 64111

NAME (PLEASE PRINT)

ADDRESS

STATE CITY

CONTENTS: BOOK Volume 1 of the Fractical Handyman's Encyclopedia. 134 lbs. 198 pages, over 400 pictures, 55,000 words.

No Risk: No Obligation.
What You Get

1. FREE 196-page. over
100-project Volume 1 of
the Practical Handyman's
Encyclopedia. No cost at
any time. no 'catch.'
no obligation.
2. You are entitled to
receive each new volume
for 7 days free approval.
For those you decide to
keep. you pay only \$2.98
plus shipping.
3. You never have to buy

plus shipping.
3. You never have to buy
any books at all . . . or
you can choose one or
a few . or the complete matched Library
set, if you wish . . the
choice is yours.

4. You may instruct us to stop shipping books simply by writing us and we'll ccase shipment immediately.



Where do we start? The Skil Model 577 Recipro Saw can accomplish so much with so many materials, it's almost impossible to describe in terms of any other power saw.

### **Entirely New Idea**

It's been said that this is the first new idea in saws in 40 years. You can believe it. The Skil Recipro Saw is as unique as it looks-combining the talents of a coping saw, hacksaw, scroll saw, jig saw, crosscut saw and rip saw.

What can you cut with it? Hang on. Corrugated or sheet metal, iron pipe, conduit, steel tubing, aluminum, plaster,

wallboard, tile, wood, brass, copper, Fiberglas, Plexiglas, hardboards, Formica, other plastic laminates, asbestos



and other abrasive materials.

## A Flair for Tough Jobs

The 577 makes cuts you'd have a tough time managing with any other saw.

- · You're installing a wall outlet within inches of a room corner. Easy with the Model 577 Recipro Saw-because it cuts flush.
- · You want logs for your fireplace . . . want to cut them from old 6-inch posts. The Recipro Saw will slice through them with ease.

· You want to make circular cuts through an acoustical tile ceiling. The Recipro Saw will even make its own starting

Specifically, the 577 can make flush cuts, miter and bevel cuts, "roughing-in" cuts, cross-cuts, pocket cuts, scroll



and pattern cuts and rip cuts.

## Extremely Adjustable

The blade shown is one of over forty you can use to match your job exactly. And you adjust the blade for cutting in any direction-up, down or to either side.

The saw foot above the blade adjusts to three positions for various kinds of cuts. In the chamber behind the foot is a blower that keeps sawdust away from your line of cut.

#### The Motor

The Skil Model 577 is equipped with what is termed a "Super Burnout Protected Motor." That means its windings are coated with a special polyester resin insulation that resists overheating. It will withstand frequent high temperature overloads with no danger of damage to the motor.

#### Don't Slight Service

When a Skil Recipro Saw leaves our

plant it carries a lifetime guarantee against defects in material or workmanship. And we back up this guarantee with one of the most extensive nationwide networks of factory service centers in the field. Unlike most cheap saws, a Model 577 can be serviced anywhere in a matter of hours or a couple of days.

### Most Useful of All

No matter how many saws you own you'll find more use for the Skil Recipro Saw than any other in your workroom. On the

other hand, if you ! never buy more than one power saw in your life, none can offer you the versatility of the 577.



The Recipro Saw retails for under \$50.00, complete with three blades. Not cheap-but neither is anything about it. It's a professional quality tool. Considering the number of saws it replaces and the number of uses you'll put it to, it's probably the best power tool buy you'll ever make. Sold at leading hardware. lumber and department stores.



WRITE FOR FREE **Power Tool Catalog** 



Skil Corporation •De	pt. 510-GH • 5033 E	Iston Avenue • Chicag	go, Illinois 60630
NAME	DIS HELD		Charles Called
ADDRESS	C. P. ST.		AND VENEZA
CITY	THE PARTY	STATE	ZIP